

References

- [1] L. Adams and J. L. Nazareth, editors. *Linear and Nonlinear Conjugate Gradient-Related Methods*. SIAM, Philadelphia, PA, 1996.
- [2] D. K. Agrafiotis. Stochastic algorithms for maximizing molecular diversity. *J. Chem. Inf. Comput. Sci.*, 37:841–851, 1997.
- [3] D. K. Agrafiotis. Diversity of chemical libraries. In P. von Ragué Schleyer (Editor-in Chief), N. L. Allinger, T. Clark, J. Gasteiger, P. A. Kollman, and H. F. Schaefer, III, editors, *Encyclopedia of Computational Chemistry*, volume 1, pages 742–761. John Wiley & Sons, West Sussex, UK, 1998.
- [4] D. K. Agrafiotis, J. C. Myslik, and F. R. Salamme. Advances in diversity profiling and combinatorial series design. *Mol. Div.*, 4:1–22, 1999.
- [5] A. Aguzzi. Prions and antiprions. *Biol. Chem.*, 378:1393–1395, 1997.
- [6] A. Aguzzi, F. Montrasio, and P. S. Kaeser. Prions: Health scare and biological challenge. *Nature Rev. Mol. Cell Biol.*, 2:118–126, 2001.
- [7] J. Aishima, R. K. Gitti, J. E. Noah, H. H. Gan, T. Schlick, and C. Wolberger. Crystal structure of MAT α 2 homeodomain-DNA complex contains a Hoogsteen base pair. *Nat. Struc. Biol.*, 2001. Submitted.
- [8] J. Aishima and C. Wolberger. Crystal structure of the MAT α 2 homeodomain-DNA complex with nonspecifically bound homeodomains. *Nat. Struc. Biol.*, 2001. Submitted.
- [9] B. Al-Lazikani, J. Jung, Z. Xiang, and B. Honig. Protein structure prediction. *Curr. Opin. Struct. Biol.*, 5:51–56, 2001.
- [10] B. J. Alder and T. E. Wainwright. Studies in molecular dynamics. I. General method. *J. Chem. Phys.*, 31:459–466, 1959.
- [11] C. Alhambra, F. J. Luque, F. Gago, and M. Orozco. *Ab Initio* study of stacking interactions in A- and B-DNA. *J. Phys. Chem. B*, 101:3846–3853, 1997.

- [12] J. F. Allemand, D. Bensimon, R. Lavery, and V. Croquette. Stretched and overwound DNA forms a Pauling-like structure with exposed bases. *Proc. Natl. Acad. Sci. USA*, 95:14152–14157, 1998.
- [13] M. P. Allen and D. J. Tildesley. *Computer Simulation of Liquids*. Oxford University Press, New York, NY, 1990.
- [14] N. L. Allinger. Calculation of molecular structure and energy by force-field methods. *Adv. Phys. Org. Chem.*, 13:1–85, 1976.
- [15] N. L. Allinger and K. Chen. Hyperconjugative effects on carbon-carbon bond lengths in molecular mechanics (MM4). *J. Comput. Chem.*, 17:747–755, 1996.
- [16] N. L. Allinger, J. T. Fermann, W. D. Allen, and H. F. Schaefer, III. The torsional conformations of butane: Definitive energetics from *ab initio* methods. *J. Chem. Phys.*, 106:5143–5150, 1997.
- [17] N. L. Allinger, M. R. Imam, M. R. Frierson, Y. H. Yuh, and L. Schäfer. The effect of electronegativity on bond lengths in molecular mechanics calculations. In N. Trinajstić, editor, *Mathematics and Computational Concepts in Chemistry*, pages 8–19. Ellis Horwood, Ltd., London, England, 1986.
- [18] N. L. Allinger, M. A. Miller, F. A. VanCatledge, and J. A. Hirsch. Conformational analysis. LVII. The calculation of the conformational structures of hydrocarbons by the Westheimer-Hendrickson-Wiberg method. *J. Amer. Chem. Soc.*, 89:4345–4357, 1967.
- [19] N. L. Allinger and J. T. Sprague. Calculation of the structures of hydrocarbons containing delocalized electronic systems by the molecular mechanics method. *J. Amer. Chem. Soc.*, 95:3893–3907, 1973.
- [20] N. L. Allinger, Y. H. Yuh, and J.-H. Lii. Molecular mechanics. The MM3 force field for hydrocarbons. 1. *J. Amer. Chem. Soc.*, 111:8551–8566, 1989.
- [21] C. Altona and M. Sundaralingam. Conformational analysis of the sugar ring in nucleosides and nucleotides. a new description using the concept of pseudorotation. *J. Amer. Chem. Soc.*, 94:8205–8212, 1972.
- [22] A. Amadei, A. B. M. Linssen, and H. J. C. Berendsen. Essential dynamics of proteins. *Proteins: Struct. Func. Gen.*, 17:412–425, 1993.
- [23] A. Amadei, A. B. M. Linssen, B. L. deGroot, D. M. F. van Aalten, and H. J. C. Berendsen. An efficient method for sampling the essential subspace of proteins. *J. Biomol. Struct. Dynam.*, 13:615–625, 1996.
- [24] L. M. Amzel. Structure-based drug design. *Curr. Opin. Biotech.*, 9:366–369, 1998.
- [25] T. S. Anantharaman, B. Mishra, and D. C. Schwartz. Genomics via optical mapping II: Ordered restriction maps. *J. Comput. Biol.*, 4:91–118, 1997.
- [26] H. C. Andersen. Molecular dynamics simulations at constant pressure and/or temperature. *J. Chem. Phys.*, 72:2384–2393, 1980.
- [27] H. C. Andersen. Rattle: a ‘velocity’ version of the SHAKE algorithm for molecular dynamics calculations. *J. Comput. Phys.*, 52:24–34, 1983.
- [28] C. R. Anderson. An implementation of the fast multipole algorithm without multipoles. *SIAM J. Sci. Stat. Comput.*, 13:923–947, 1992.
- [29] S. L. Anderson. Random number generators on vector supercomputers and other advanced architectures. *SIAM Rev.*, 32:221–251, 1990.

- [30] W. F. Anderson. The best of times, the worst of times. *Science*, 288:627–629, 2000.
- [31] C. B. Anfinsen, E. Haber, M. Sela, and F. H. White, Jr. The kinetics of formation of native ribonuclease during oxidation of the reduced polypeptide chain. *Proc. Natl. Acad. Sci. USA*, 47:1309–1314, 1961.
- [32] C. B. Anfinsen and H. A. Scheraga. Experimental and theoretical aspects of protein folding. *Adv. Protein Chem.*, 29:205–301, 1975.
- [33] A. W. Appel. An efficient program for many-body simulation. *SIAM J. Sci. Stat. Comput.*, 6:85–103, 1985.
- [34] J. Åqvist and A. Warshel. Simulation of enzyme reactions using valence bond force fields and other hybrid quantum/classical approaches. *Chem. Rev.*, 93:2523–2544, 1993.
- [35] G. Arents, R. W. Burlingame, B. C. Wang, W. E. Love, and E. N. Moudrianakis. The nucleosomal core histone octamer at 3.1 Å resolution: A tripartite protein assembly and a left-handed superhelix. *Proc. Natl. Acad. Sci. USA*, 88:10148–10152, 1991.
- [36] P. G. Arscott, G. Lee, V. A. Bloomfield, and D. F. Evans. Scanning tunnelling microscopy of Z-DNA. *Nature*, 339:484–486, 1989.
- [37] A. Askar, B. Space, and H. Rabitz. Subspace method for long time scale molecular dynamics. *J. Phys. Chem.*, 99:7330–7338, 1995.
- [38] P. Auffinger, S. Louise-May, and E. Westhof. Multiple molecular dynamics simulations of the anticodon loop of rRNA^{ASP} in aqueous solution with counterions. *J. Amer. Chem. Soc.*, 117:6720–6726, 1995.
- [39] P. Auffinger, S. Louise-May, and E. Westhof. Molecular dynamics simulations of the anticodon hairpin of tRNA^{ASP}. Structuring effects of C–H···O hydrogen bonds and long-range hydration forces. *J. Amer. Chem. Soc.*, 118:1181–1189, 1996.
- [40] P. Auffinger and E. Westhof. Molecular dynamics simulations of nucleic acids. In P. von Ragué Schleyer (Editor-in Chief), N. L. Allinger, T. Clark, J. Gasteiger, P. A. Kollman, and H. F. Schaefer, III, editors, *Encyclopedia of Computational Chemistry*, volume 3, pages 1628–1639. John Wiley & Sons, West Sussex, UK, 1998.
- [41] P. Auffinger and E. Westhof. Simulations of the molecular dynamics of nucleic acids. *Curr. Opin. Struct. Biol.*, 8:227–236, 1998.
- [42] M. S. Babcock and W. K. Olson. The effect of mathematics and coordinate system on comparability and “dependencies” of nucleic acid structure parameters. *J. Mol. Biol.*, 237:98–124, 1994.
- [43] D. Backowies and E. Thiel. Hybrid models for combined quantum mechanical and molecular mechanical approaches. *J. Phys. Chem.*, 100:10580–10594, 1996.
- [44] D. Baker and A. Sali. Protein structure prediction and structural genomics. *Science*, 294:93–96, 2001.
- [45] N. Baker, M. Holst, and E. Wang. Adaptive multilevel finite element solution of the Poisson-Boltzmann equation II. Refinement at solvent-accessible surfaces in biomolecular systems. *J. Comput. Chem.*, 21:1343–1352, 2000.
- [46] N. Baker, D. Sept, S. Joseph, M. J. Holst, and J. A. McCammon. Electrostatics of nanosystems: Application to microtubules and the ribosome. *Proc. Natl. Acad. Sci. USA*, 98:10037–10041, 2001.

- [47] N. Ban, P. Nissen, J. Hansen, P. B. Moore, and T. A. Steitz. The complete atomic structure of the large ribosomal subunit at 2.4 Å resolution. *Science*, 289:905–920, 2000.
- [48] J. Barnes and P. Hut. A hierarchical $O(N \log N)$ force-calculation algorithm. *Nature*, 324:446–449, 1986.
- [49] M. M. Barnhart, J. S. Pinkner, G. E. Soto, F. G. Sauer, S. Langermann, G. Waksman, C. Frieden, and S. J. Hultgren. PapD-like chaperones provide the missing information for folding of pilin proteins. *Proc. Natl. Acad. Sci. USA*, 97:7709–7714, 2000.
- [50] E. Barth, K. Kuczera, B. Leimkuhler, and R. D. Skeel. Algorithms for constrained molecular dynamics. *J. Comput. Chem.*, 16:1192–1209, 1995.
- [51] E. Barth, M. Mandziuk, and T. Schlick. A separating framework for increasing the timestep in molecular dynamics. In W. F. van Gunsteren, P. K. Weiner, and A. J. Wilkinson, editors, *Computer Simulation of Biomolecular Systems: Theoretical and Experimental Applications*, volume III, chapter 4, pages 97–121. ESCOM, Leiden, The Netherlands, 1997.
- [52] E. Barth and T. Schlick. Extrapolation versus impulse in multiple-timestepping schemes: II. Linear analysis and applications to Newtonian and Langevin dynamics. *J. Chem. Phys.*, 109:1632–1642, 1998.
- [53] E. Barth and T. Schlick. Overcoming stability limitations in biomolecular dynamics: I. Combining force splitting via extrapolation with Langevin dynamics in LN. *J. Chem. Phys.*, 109:1617–1632, 1998.
- [54] D. Bashford and D. A. Case. Generalized Born models of macromolecular solvation effects. *Ann. Rev. Phys. Chem.*, 51:129–152, 2000.
- [55] P. Batcho, D. A. Case, and T. Schlick. Optimized particle-mesh Ewald/ multiple-timestep integration for molecular dynamics simulations. *J. Chem. Phys.*, 115:4003–4018, 2001.
- [56] P. Batcho and T. Schlick. New splitting formulations for lattice summations. *J. Chem. Phys.*, 115:8312–8326, 2001.
- [57] P. Batcho and T. Schlick. Special stability advantages of position Verlet over velocity Verlet in multiple-timestep integration. *J. Chem. Phys.*, 115:4019–4029, 2001.
- [58] A. D. Bates and A. Maxwell. *DNA Topology*. In Focus. Oxford University Press, New York, NY, 1993.
- [59] R. T. Batey and J. A. Doudna. The parallel universe of RNA folding. *Nature Struct. Biol.*, 5:337–340, 1998.
- [60] R. T. Batey, R. P. Rambo, and J. A. Doudna. Tertiary motifs in RNA structure and folding. *Angew. Chem. Int. Ed.*, 38:2326–2343, 1999.
- [61] C. G. Baumann, S. B. Smith, V. A. Bloomfield, and C. Bustamante. Ionic effects on the elasticity of single DNA molecules. *Proc. Natl. Acad. Sci. USA*, 94:6185–6190, 1997.
- [62] M. D. Beachy, D. Chasman, R. B. Murphy, T. A. Halgren, and R. A. Friesner. Accurate Ab initio quantum chemical determination of the relative energetics of peptide conformations and assessment of empirical force fields. *J. Amer. Chem. Soc.*, 119:5908–5920, 1997.

- [63] D. Beard and T. Schlick. Inertial stochastic dynamics: I. Long-timestep methods for Langevin dynamics. *J. Chem. Phys.*, 112:7313–7322, 2000.
- [64] D. Beard and T. Schlick. Inertial stochastic dynamics: II. Influence of inertia on slow kinetic properties of supercoiled DNA. *J. Chem. Phys.*, 112:7323–7338, 2000.
- [65] D. Beard and T. Schlick. Computational modeling predicts the structure and dynamics of the chromatin fiber. *Structure*, 9:105–114, 2001.
- [66] D. Beard and T. Schlick. Modeling salt-mediated electrostatics of macromolecules: The algorithm DiSCO (Discrete Charge Surface Charge Optimization) and its application to the nucleosome. *Biopolymers*, 58:106–115, 2001.
- [67] J. C. Beauchamp and N. W. Isaacs. Methods for X-ray diffraction analysis of macromolecular structures. *Curr. Opin. Chem. Biol.*, 3:525–529, 1999.
- [68] D. Beglov and B. Roux. Dominant solvation effects from the primary shell of hydration: Approximation for molecular dynamics simulations. *Biopolymers*, 35:171–178, 1994.
- [69] D. Beglov and B. Roux. Finite representation of an infinite bulk system: Solvent boundary potential for computer simulations. *J. Chem. Phys.*, 100:9050–9063, 1994.
- [70] D. Beglov and B. Roux. Numerical solutions of the hypernetted chain equation for a solute of arbitrary geometry in three dimensions. *J. Chem. Phys.*, 103:360–364, 1995.
- [71] J. Bella, B. Brodsky, and H. M. Berman. Hydration structure of a collagen peptide. *Structure*, 3:893–906, 1995.
- [72] H. A. Benjamin and N. R. Cozzarelli. DNA-directed synapsis in recombination: Slithering and random collision of sites. *Proc. R. A. Welch Found. Conf. Chem. Res.*, 29:107–126, 1986.
- [73] K. R. Benjamin, A. P. Abola, R. Kanaar, and N. R. Cozzarelli. Contributions of supercoiling to Tn3 resolvase and phage Mu Gin site-specific recombination. *J. Mol. Biol.*, 256:50–65, 1996.
- [74] D. Bensimon, A. Simon and. A. Chiffaudel, V. Croquette, and A. Bensimon. Alignment and sensitive detection of DNA by a moving interface. *Science*, 265:2096–2098, 1994.
- [75] H. J. C. Berendsen. A glimpse of the holy grail. *Science*, 282:642–643, 1998.
- [76] H. J. C. Berendsen, J. P. M. Postma, W. F. van Gunsteren, A. DiNola, and J. R. Haak. Molecular dynamics with coupling to an external bath. *J. Chem. Phys.*, 81:3684–3690, 1984.
- [77] H. M. Berman. Hydration of DNA: Take 2. *Curr. Opin. Struct. Biol.*, 4:345–350, 1994.
- [78] H. M. Berman. Crystal studies of B-DNA: The answers and the questions. *Biopolymers*, 44:23–44, 1997.
- [79] H. M. Berman, W. K. Olson, D. L. Beveridge, J. Westbrook, A. Gelbin, T. Demeny, S.-H. Hsieh, A. R. Srinivasan, and B. Schneider. The nucleic acid database: A comprehensive relational database of three-dimensional structures of nucleic acids. *Biophys. J.*, 63:751–759, 1992.
- [80] B. J. Berne and J. E. Straub. Novel methods of sampling phase space in the simulation of biological systems. *Curr. Opin. Struct. Biol.*, 7:181–189, 1997.

- [81] S. Bernèche and B. Roux. Energetics of ion conduction through the K^+ channel. *Nature*, 414:73–77, 2001.
- [82] R. S. Berry, S. A. Rice, and J. Ross. *Physical Chemistry*. Wiley, New York, NY, 1980.
- [83] J. J. Biesiadecki and R. D. Skeel. Dangers of multiple-time-step methods. *J. Comput. Phys.*, 109:318–328, 1993.
- [84] M. Bixon, H. Dekker, J. D. Dunitz, E. Eser, S. Lifson, C. Mosselman, J. Sicher, and M. Svoboda. Structural and strain-energy consequences of “intra-annular” substitution in the cyclodecane ring. *Chem. Commun.*, pages 360–362, 1967.
- [85] G. M. Blackburn and M. J. Gait, editors. *Nucleic Acids in Chemistry and Biology*. Oxford University Press, New York, NY, 1990.
- [86] V. A. Bloomfield. DNA condensation by multivalent cations. *Biopolymers*, 44:269–282, 1997.
- [87] V. A. Bloomfield, D. M. Crothers, and I. Tinoco, Jr. *Nucleic Acids: Structures, Properties, and Functions*. University Science Press, New York, NY, 2000.
- [88] J. Board, A. John, Z. S. Hakura, W. D. Elliott, and W. T. Rankin. Scalable variants of multipole-accelerated algorithms for molecular dynamics applications. In *Proceedings, Seventh SIAM Conference on Parallel Processing for Scientific Computing*, pages 295–300, Philadelphia, PA, 1995. SIAM.
- [89] J. Board, A. John, C. W. Humphres, C. G. Lambert, W. T. Rankin, and A. Y. Toukmaji. Ewald and multipole methods for periodic N -body problems. In *Proceedings, Eighth SIAM Conference on Parallel Processing for Scientific Computing*, Philadelphia, PA, 1997. SIAM. CD-ROM.
- [90] J. A. Board, Jr., J. W. Causey, T. F. Leathrum, Jr., A. Windemuth, and K. Schulten. Accelerated molecular dynamics simulations with the parallel fast multiple algorithm. *Chem. Phys. Lett.*, 198:89–94, 1992.
- [91] J. A. Board, Jr., L. V. Kalé, K. Schulten, R. D. Skeel, and T. Schlick. Modeling biomolecules: Larger scales, longer durations. *IEEE Comput. Sci. Eng.*, 1:19–30, Winter 1994.
- [92] R. Bonneau and D. Baker. Ab initio protein structure prediction: Progress and prospects. *Ann. Rev. Biophys. Biomol. Struct.*, 30:173–189, 2001.
- [93] S. Boresch, S. Ringhofer, P. Höchtel, and O. Steinhauser. Towards a better description and understanding of biomolecular solvation. *Biophys. Chem.*, 78:43–68, 1999.
- [94] S. Borman. Reducing time to drug discovery. *Chem. Eng. News*, 77:33–48, 1998.
- [95] J. M. Borwein and A. S. Lewis. *Convex Analysis and Nonlinear Optimization. Theory and Examples*, volume 3 of *Canadian Mathematical Society (CMS) Books in Mathematics*. Springer-Verlag, New York, NY, 2000.
- [96] A. H. Boschitsch, M. O. Fenley, and W. K. Olson. A fast adaptive multipole algorithm for calculating screened Coulomb (Yukawa) interactions. *J. Comput. Phys.*, 151:212–241, 1999.
- [97] J. U. Bowie, R. Lüthy, and D. Eisenberg. A method to identify protein sequences that fold into a known three-dimensional structure. *Science*, 253:164–170, 1991.
- [98] D. B. Boyd. Computer-aided molecular design. In A. Kent (Executive) and C. M. Hall (Administrative), editors, *Encyclopedia of Library and Information Sci-*

- ence*, volume 59, pages 54–84. Marcel Dekker, New York, NY, 1997. Supplement 22.
- [99] D. B. Boyd. Rational drug design: Controlling the size of the haystack. *Mod. Drug Dis.*, 1:41–47, 1998.
- [100] S. F. Brady, K. J. Stauffer, W. C. Lumma, G. M. Smith, H. G. Ramjit, S. D. Lewis, B. J. Lucas, S. J. Gardell, E. A. Lyle, S. D. Appleby, J. J. Cook, M. A. Holahan, M. T. Stranieri, J. J. Lynch, Jr., J. H. Lin, I.-W. Chen, K. Vastag, A. M. Naylor-Olsen, and J. P. Vacca. Discovery and development of the novel potent orally active thrombin inhibitor N-(9-Hydroxy-9-fluorenicarboxy)prolyl *trans*-4-Aminocyclohexylmethyl amide (L-372,460): Coapplication of structure-based design and rapid multiple analogue synthesis on solid support. *J. Med. Chem.*, 41(3):401–406, 1998.
- [101] C. Branden and J. Tooze. *Introduction to Protein Structure*. Garland Publishing Inc., New York, NY, second edition, 1999. (www.proteinstructure.com/).
- [102] A. Brandt and A. A. Lubrecht. Multilevel matrix multiplication and fast solution of integral equations. *J. Comput. Phys.*, 90:348–370, 1990.
- [103] P. Bratley, B. L. Fox, and L. E. Schrage. *A Guide to Simulation*. Springer-Verlag, New York, NY, 1987.
- [104] S. E. Brenner. A tour of structural genomics. *Nat. Genet.*, 2:801–809, 2001.
- [105] S. E. Brenner, C. Chothia, and T. J. P. Hubbard. Population statistics of protein structures: Lessons from structural classifications. *Curr. Opin. Struct. Biol.*, 7:369–376, 1997.
- [106] K. J. Breslauer, R. Frank, H. Blöcker, and L. A. Marky. Predicting DNA duplex stability from the base sequence. *Proc. Natl. Acad. Sci. USA*, 83:3746–3750, 1986.
- [107] R. Brimacombe. The bacterial ribosome at atomic resolution. *Structure*, 8:R195–R200, 2000.
- [108] P. Brion and E. Westhof. Hierarchy and dynamics of RNA folding. *Ann. Rev. Biophys. Biomol. Struct.*, 26:113–137, 1997.
- [109] J. E. Brody. What to serve for dinner, when dinner is on Mars. *The New York Times*, pages F1–2, Tuesday, May 19 1998.
- [110] B. R. Brooks, R. E. Bruccoleri, B. D. Olafson, D. J. States, S. Swaminathan, and M. Karplus. CHARMM: A program for macromolecular energy, minimization, and dynamics calculations. *J. Comput. Chem.*, 4:187–217, 1983.
- [111] C. L. Brooks, III, M. Karplus, and B. M. Pettitt. *Proteins: A Theoretical Perspective of Dynamics, Structure, and Thermodynamics*, volume LXXI of *Advances in Chemical Physics*. John Wiley & Sons, New York, NY, 1988.
- [112] S. Broyde and B. E. Hingerty. Effective computational strategies for determining structures of carcinogen damaged DNA. *J. Comput. Phys.*, 151:313–332, 1999.
- [113] A. Brünger, C. L. Brooks, III, and M. Karplus. Stochastic boundary conditions for molecular dynamics simulations of ST2 water. *Chem. Phys. Lett.*, 105:495–500, 1982.
- [114] A. T. Brünger, P. D. Adams, and L. M. Rice. New applications of simulated annealing in X-ray crystallography and solution NMR. *Structure*, 5:325–336, 1997.
- [115] F. Bueche. The viscoelastic properties of plastics. *J. Chem. Phys.*, 22:603–609, 1954.

- [116] M. G. Bures and Y. C. Martin. Computational methods in molecular diversity and combinatorial chemistry. *Curr. Opin. Chem. Biol.*, 2:376–380, 1998.
- [117] U. Burkert and N. L. Allinger. *Molecular Mechanics*, volume 177 of *American Chemical Society Monograph*. ACS, Washington D. C., 1982.
- [118] A. M. Burkhoff and T. D. Tullius. The unusual conformation adopted by the adenine tracts in kinetoplast DNA. *Cell*, 48:935–943, 1987.
- [119] C. Bustamante and D. Keller. Scanning force microscopy in biology. *Physics Today*, 48:32–38, 1995.
- [120] C. Bustamante, J. F. Marko, E. D. Siggia, and S. Smith. Entropic elasticity of λ -phage DNA. *Science*, 265:1599–1600, 1994.
- [121] R. H. Byrd, P. Lu, and J. Nocedal. A limited memory algorithm for bound constrained optimization. *SIAM J. Sci. Stat. Comput.*, 16:1190–1208, 1995.
- [122] R. H. Byrd, J. Nocedal, and R. B. Schnabel. Representations of quasi-Newton matrices and their use in limited memory methods. *Math. Prog.*, 63:129–156, 1994.
- [123] R. H. Byrd, J. Nocedal, and C. Zhu. Towards a discrete Newton method with memory for large-scale optimization. In G. Di Pillo and F. Giannesi, editors, *Nonlinear Optimization and Applications*. Plenum, 1996.
- [124] W. Cai, J. Jing, B. Irvin, L. Ohler, E. Rose, H. Shizuya, U.-J. Kim, M. Simon, T. Anantharaman, B. Mishra, and D. C. Schwartz. High-resolution restriction maps of bacterial artificial chromosomes constructed by optical mapping. *Proc. Natl. Acad. Sci. USA*, 95:3390–3395, 1998.
- [125] C. R. Calladine and H. R. Drew. *Understanding DNA. The Molecule and How It Works*. Academic Press, San Diego, CA, second edition, 1997.
- [126] C. R. Cantor and P. R. Schimmel. *Biophysical Chemistry*, volume 1–3. W. H. Freeman and Company, San Francisco, 1980.
- [127] P. R. Caron, M. D. Mullican, R. D. Mashal, K. P. Wilson, M. S. Su, and M. A. Murcko. Chemogenomic approaches to drug discovery. *Curr. Opin. Chem. Biol.*, 5:464–470, 2001.
- [128] A. P. Carter, W. M. Clemons, D. E. Brodersen, R. J. Morgan-Warren, B. T. Wimberly, and V. Ramakrishnan. Functional insights from the structure of the 30S ribosomal subunit and its interactions with antibiotics. *Nature*, 407:340–348, 2000.
- [129] D. A. Case. Normal mode analysis of protein dynamics. *Curr. Opin. Struc. Biol.*, 4:385–290, 1994.
- [130] D. A. Case. NMR refinement. In P. von Ragué Schleyer (Editor-in Chief), N. L. Allinger, T. Clark, J. Gasteiger, P. A. Kollman, and H. F. Schaefer, III, editors, *Encyclopedia of Computational Chemistry*, volume 3, pages 1866–1876. John Wiley & Sons, West Sussex, UK, 1998.
- [131] L. Castagnoli, M. Scarpa, M. Kokkinidis, D.W. Banner, D. Tsernoglou, and G. Cesareni. Genetic and structural analysis of the CoIE1 Rop (Rom) protein. *Embo. J.*, 8:621–629, 1989.
- [132] J. H. Cate, A. R. Gooding, E. Podell, K. Zhou, B. L. Golden, C. E. Kundrot, T. R. Cech, and J. A. Doudna. Crystal structure of a group I ribozyme domain: Principles of RNA packing. *Science*, 273:1678–1685, 1996.

- [133] J. H. Cate, A. R. Gooding, E. Podell, K. Zhou, B. L. Golden, A. A. Szewczak, C. E. Kundrot, T. R. Cech, and J. A. Doudna. RNA tertiary structure mediation by adenosine platforms. *Science*, 273:1696–1699, 1996.
- [134] J. H. Cate, M. M. Yusupov, C. Zh. Yusupova, T. N. Earnest, and H. F. Noller. X-ray crystal structure of 70S ribosome functional complexes. *Science*, 285:2095–2104, 1999.
- [135] T. Caulfield and K. Burgess. Combinatorial chemistry. Focused diversity and diversity of focus. *Curr. Opin. Chem. Biol.*, 5:241–242, 2001.
- [136] M. Cavazzana-Calvo, S. Hacein-Bey, G. de Saint Basile, F. Gross, E. Yvon, P. Nusbaum, F. Selz, C. Hue, S. Certain, J.-L. Casanova, P. Bousso, F. Le Deist, and A. Fischer. Gene therapy of human severe combined immunodeficiency (SCID)-X1 disease. *Science*, 288:669–672, 2000.
- [137] L. S. D. Caves, J. D. Evanseck, and M. Karplus. Locally accessible conformations of proteins: Multiple molecular dynamics simulations of crambin. *Prot. Sci.*, 7:649–666, 1998.
- [138] T. R. Cech. The ribosome is a ribozyme. *Science*, 289:878–879, 2000.
- [139] R. Chandrasekaran and S. Arnott. The structure of *B*-DNA in oriented fibers. *J. Biomol. Struct. Dynam.*, 13:1015–1027, 1996.
- [140] T. E. Cheatham, III, P. Cieplak, and P. A. Kollman. A modified version of the cornel *et al.* force field with improved sugar pucker phases and helical repeat. *J. Biomol. Struct. Dynam.*, 16:845–862, 1999.
- [141] T. E. Cheatham, III and P. A. Kollman. Observation of the A-DNA to B-DNA transition during unrestrained molecular dynamics in aqueous solution. *J. Mol. Biol.*, 259:434–444, 1996.
- [142] T. E. Cheatham, III, J. L. Miller, T. Fox, T. A. Darden, and P. A. Kollman. Molecular dynamics simulations of solvated biomolecular systems: The particle mesh Ewald method leads to stable trajectories of DNA, RNA, and proteins. *J. Amer. Chem. Soc.*, 117:4193–4194, 1995.
- [143] Z. Chen, Y. Li, E. Chen, D. L. Hall, P. L. Darke, C. Culberson, J. A. Shafer, and L. C. Kuo. Crystal structure at 1.9-Å resolution of human immunodeficiency (HIV) II protease complexed with L-735,524, an orally bioavailable inhibitor of the HIV proteases. *J. Biol. Chem.*, 269:26344–26348, 1994.
- [144] D. Y. Cherny, B. P. Belotserkovskii, M. D. Frank-Kamenetskii, M. Egholm, O. Buchardt, R. H. Berg, and P. E. Nielsen. DNA unwinding upon strand-displacement binding of a thymine-substituted polyamide to double-stranded DNA. *Proc. Natl. Acad. Sci. USA*, 90:1667–1670, 1993.
- [145] D. N. Chin, F. Sussman, H. M. Chun, and R. Czerminski. A simple solvation model along with a multibody dynamics strategy MBO(N)D produces stable DNA simulations that are faster than traditional atomistic methods. Work in Progress, 1999.
- [146] G. Chirico and J. Langowski. Brownian dynamics simulations of supercoiled DNA with bent sequences. *Biophys. J.*, 71:955–971, 1996.
- [147] T. Kien Chiu and R. E. Dickerson. 1 Å crystal structures of *B*-DNA reveal sequence-specific binding and groove-specific bending of DNA by magnesium and calcium. *J. Mol. Biol.*, 301:915–945, 2000.

- [148] C. Chothia. One thousand families for the molecular biologist. *Nature*, 357:543–544, 1992.
- [149] C. Chothia, T. Hubbard, S. Brenner, H. Barns, and A. Murzin. Protein folds in the all- β and all- α classes. *Ann. Rev. Biophys. Biomol. Struct.*, 26:597–627, 1997.
- [150] P. Cieplak, P. Kollman, and T. Lybrand. A new water potential including polarization: Application to gas-phase, liquid, and crystal properties of water. *J. Chem. Phys.*, 92:6755–6760, 1990.
- [151] B. Cipra. *What's Happening in the Mathematical Sciences*. American Mathematical Society, Cranston, RI, 1996. (Series Editor: P. Zorn).
- [152] B. A. Cipra. Molecular biologists team up with mathematicians to investigate DNA. *SIAM News*, 23:16, 1990.
- [153] J. B. Clarage, T. Romo, B. K. Andrews, B. M. Pettitt, and G. N. Philipps, Jr. A sampling problem in molecular dynamics simulations of macromolecules. *Proc. Natl. Acad. Sci. USA*, 92:3288–3292, 1995.
- [154] G. M. Clore and A. M. Gronenborn. New methods of structure refinement for macromolecular structure determination by NMR. *Proc. Natl. Acad. Sci. USA*, 95:5891–5898, 1998.
- [155] P. Cluzel, A. Lebrun, C. Heller, R. Lavery, J.-L. Viovy, D. Chatenay, and F. Caron. DNA: An extensible molecule. *Science*, 271:792–794, 1996.
- [156] F. E. Cohen. Protein misfolding and prion diseases. *J. Mol. Biol.*, 293:313–320, 1999.
- [157] N. C. Cohen, editor. *Guidebook on Molecular Modeling in Drug Design*. Academic Press, San Diego, CA, 1996.
- [158] B. D. Coleman and D. Swigon. Theory of supercoiled elastic rings with self-contact and its application to DNA plasmids. *J. Elasticity*, 60:173–221, 2000.
- [159] B. D. Coleman, D. Swigon, and I. Tobias. Elastic stability of DNA configurations: II. Supercoiled plasmids with self-contact. *Phys. Rev. E*, 61:759–770, 2000.
- [160] F. S. Collins and K. G. Jegalian. Deciphering the code of life. *Sci. Amer.*, 281:86–91, 1999.
- [161] A. R. Conn, N. I. M. Gould, and Ph. L. Toint. *LANCELOT: A FORTRAN Package for Large-Scale Nonlinear Optimization (Release A)*, volume 17 of *Springer Series in Computational Mathematics*. Springer-Verlag, New York, NY, 1992.
- [162] W. J. Cook, W. H. Cunningham, W. R. Pulleyblank, and A. Schrijver. *Combinatorial Optimization*. John Wiley & Sons, New York, NY, 1998.
- [163] W. D. Cornell, P. Cieplak, C. I. Bayly, I. R. Gould, K. M. Merz, Jr., D. M. Ferguson, D. C. Spellmeyer, T. Fox, J. W. Caldwell, and P. A. Kollman. A second generation force field for the simulation of proteins, nucleic acids, and organic molecules. *J. Amer. Chem. Soc.*, 117:5179–5197, 1995.
- [164] N. R. Cozzarelli and J. C. Wang, editors. *DNA Topology and Its Biological Effects*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1990.
- [165] D. Cremer and J. A. Pople. A general definition of ring puckering coordinates. *J. Amer. Chem. Soc.*, 97:1354–1358, 1975.
- [166] F. H. C. Crick. *What Mad Pursuit: A Personal View of Scientific Discovery*. Alfred P. Sloan Foundation Series. Basic Books, New York, NY, 1988.

- [167] D. Crothers. DNA curvature and deformation in protein-DNA complexes: A step in the right direction. *Proc. Natl. Acad. Sci. USA*, 95:15163–15165, 1998.
- [168] D. Crothers and D. Eisenberg. *Physical Chemistry with Applications to the Life Sciences*. Benjamin/Cummings, Menlo Park, CA, 1979.
- [169] D. Crothers, T. E. Haran, and J. G. Nadeau. Intrinsically bent DNA. *J. Biol. Chem.*, 265:7093–7096, 1990.
- [170] G. Călugăreanu. Sur les classes d'isotopie des noeuds tridimensionnels et leurs invariants. *Czechoslovak Math. J.*, 11:588–624, 1961.
- [171] V. Daggett. Long timescale simulations. *Curr. Opin. Struct. Biol.*, 10:160–164, 2000.
- [172] G. Dahlquist and Å. Björck. *Numerical Methods*. Prentice Hall, Englewood Cliffs, New Jersey, 1974.
- [173] S. Dalal, S. Balasubramanian, and L. Regan. Protein alchemy: Changing β -sheet into α -helix. *Nature Struct. Biol.*, 4:548–552, 1997.
- [174] A. D. Daniels and G. E. Scuseria. What is the best alternative to diagonalization of the Hamiltonian in large scale semiempirical calculations? *J. Chem. Phys.*, 110:1321–1328, 1999.
- [175] T. Darden, L. Perera, L. Li, and L. Pedersen. New tricks for modelers from the crystallography toolkit: The particle mesh Ewald algorithm and its use in nucleic acid simulations. *Structure*, 7:R55–R60, 1999.
- [176] T. Darden, D. York, and L. Pedersen. Particle mesh Ewald: An $N \cdot \log(N)$ method for Ewald sums in large systems. *J. Chem. Phys.*, 98:10089–10092, 1993.
- [177] X. Daura, B. Jaun, D. Seebach, W. F. Van Gunsteren, and A. Mark. Reversible peptide folding in solution by molecular dynamics simulation. *J. Mol. Biol.*, 280:925–932, 1998.
- [178] X. Daura, B. Oliva, E. Querol, F. X. Avilés, and O. Tapia. On the sensitivity of MD trajectories to changes in water-protein interaction parameters: The potato carboxypeptidase inhibitor in water as a test case for the GROMOS force field. *Proteins: Struct. Func. Gen.*, 25:89–103, 1996.
- [179] K. Davies. *Cracking the Genome: Inside the Race to Unlock Human DNA*. The Free Press (A Simon & Schuster Division), New York, NY, 2001.
- [180] L. A. Day, R. L. Wiseman, and C. J. Marzec. Structure models for DNA in filamentous viruses with phosphates near the center. *Nucl. Acids Res.*, 7:1393–1403, 1979.
- [181] P. S. de Laplace. *Oeuvres Complètes de Laplace. Théorie Analytique des Probabilités*, volume VII. Gauthier-Villars, Paris, France, third edition, 1820.
- [182] O. Norberto de Souza and R. L. Ornstein. Effect of periodic box size on aqueous molecular dynamics simulation of a DNA dodecamer with particle-mesh Ewald method. *Biophys. J.*, 72:2395–2397, 1997.
- [183] O. Norberto de Souza and R. L. Ornstein. Inherent DNA curvature and flexibility correlate with TATA box functionality. *Biopolymers*, 46:403–415, 1998.
- [184] S. W. DeLeeuw, J. W. Perram, and E. R. Smith. Simulation of electrostatic systems in periodic boundary conditions. I. Lattice sums and dielectric constant. *Proc. Roy. Soc. Lond. A*, 373:27–56, 1980.

- [185] R. S. Dembo and T. Steihaug. Truncated-Newton algorithms for large-scale unconstrained optimization. *Math. Prog.*, 26:190–212, 1983.
- [186] J. W. Demmel. *Applied Numerical Linear Algebra*. SIAM, Philadelphia, PA, 1997.
- [187] J. E. Dennis, Jr. and R. B. Schnabel. *Numerical Methods for Unconstrained Optimization and Nonlinear Equations*. Prentice-Hall, Inc., Englewood Cliffs, New Jersey, 1983. (Reprinted by SIAM, 1996).
- [188] P. Derreumaux and T. Schlick. Long-time integration for peptides by the dynamics driver approach. *Proteins: Struct. Func. Gen.*, 21:282–302, 1995.
- [189] P. Derreumaux and T. Schlick. The loop opening/closing motion of the enzyme triosephosphate isomerase. *Biophys. J.*, 74:72–81, January 1998.
- [190] P. Derreumaux and G. Vergoten. Influence of the spectroscopic potential energy function SPASIBA on molecular dynamics of proteins: Comparison with the AMBER potential. *J. Mol. Struct.*, 286:55–64, 1993.
- [191] P. Derreumaux and G. Vergoten. A new spectroscopic molecular mechanics force field. Parameters for proteins. *J. Chem. Phys.*, 102:8586–8605, 1995.
- [192] P. Derreumaux, G. Zhang, B. Brooks, and T. Schlick. A truncated-Newton method adapted for CHARMM and biomolecular applications. *J. Comput. Chem.*, 15:532–552, 1994.
- [193] M. Deserno, C. Holm, and S. May. Fraction of condensed counterions around a charged rod: Comparison of Poisson-Boltzmann theory and computer simulations. *Macromolecules*, 33:199–206, 2000.
- [194] P. Deuffhard, M. Dellnitz, O. Junge, and Ch. Schütte. Computation of essential molecular dynamics by subdivision techniques: I. Basic concepts. Technical Report SC 96–45, Konrad-Zuse-Zentrum für Informationstechnik Berlin, Takustraße 7, D-14195, Berlin-Dahlem, December 1996.
- [195] D. J. Dichmann, Y. Li, and J. H. Maddocks. Hamiltonian formulations and symmetries in rod mechanics. In J. P. Mesirov, K. Schulten, and D. W. Summers, editors, *Mathematical Applications to Biomolecular Structure and Dynamics*, volume 82 of *IMA Volumes in Mathematics and Its Applications*, pages 71–113, New York, NY, 1996. Springer-Verlag.
- [196] R. E. Dickerson. Definitions and nomenclature of nucleic acid structure parameters. *EMBO J.*, 8:1–4, 1989.
- [197] R. E. Dickerson, M. Bansal, C. R. Calladine, S. Diekmann, W. N. Hunter, O. Kennard, E. von Kitzing, R. Lavery, H. C. M. Nelson, W. K. Olson, W. Saenger, Z. Shakked, H. Sklenar, D. M. Soumpasis, C.-S. Tung, A. H.-J. Wang, and V. B. Zhurkin. Definitions and nomenclature of nucleic acid structure parameters. *J. Mol. Biol.*, 208:787–791, 1989.
- [198] R. E. Dickerson and T. K. Chiu. Helix bending as a factor in protein/DNA recognition. *Biopolymers*, 44:361–403, 1997.
- [199] R. E. Dickerson and H. R. Drew. Structure of a B-DNA dodecamer. II. influence of base sequence on helix structure. *J. Mol. Biol.*, 149:761–786, 1981.
- [200] R. E. Dickerson, D. S. Goodsell, and M. L. Kopka. MPD and DNA bending in crystals and in solution. *J. Mol. Biol.*, 256:108–125, 1996.
- [201] R. E. Dickerson, D. S. Goodsell, and S. Neidle. “... the tyranny of the lattice ...”. *Proc. Natl. Acad. Sci. USA*, 91:3579–3583, 1994.

- [202] A. D. DiGabriele, T. A., and Steitz. A DNA dodecamer containing an adenine tract crystallizes in a unique lattice and exhibits a new bend. *J. Mol. Biol.*, 231:1024–1039, 1993.
- [203] K. A. Dill, S. Bromberg, K. Yue, K. M. Fiebig, D. P. Yee, P. D. Thomas, and H. S. Chan. Principles of protein folding — A perspective from simple exact models. *Protein Science*, 4:561–602, 1995.
- [204] K. A. Dill and H. S. Chan. From Levinthal to pathways to funnels. *Nature Struct. Biol.*, 4:10–19, 1997.
- [205] H. Q. Ding, N. Karasawa, and W. A. Goddard, III. Atomic level simulations on a million particles: The cell multipole method for Coulomb and London nonbond interactions. *J. Chem. Phys.*, 97:4309–4315, 1992.
- [206] H. Q. Ding, N. Karasawa, and W. A. Goddard, III. The reduced cell multipole method for Coulomb interactions in periodic systems with million-atom unit cells. *Chem. Phys. Lett.*, 196:6–10, 1992.
- [207] A. R. Dinner, R. Lazaridis, and M. Karplus. Understanding β -hairpin formation. *Proc. Natl. Acad. Sci. USA*, 96:9068–9073, 1999.
- [208] S. L. Dixon and H. O. Villar. Investigation of classification methods for the prediction of activity in diverse chemical libraries. *J. Comput.-Aided Mol. Design*, 13:533–545, 1999.
- [209] C. Djerassi. *The Pill, Pygmy Chimps, and Degas' Horse. The Remarkable Autobiography of the Award-Winning Scientist Who Synthesized the Birth Control Pill*. Basic Books, New York, NY, 1992.
- [210] M. Dlakic and R. E. Harrington. The effects of sequence context on DNA curvature. *Proc. Natl. Acad. Sci. USA*, 93:3847–3852, 1996. [Erratum appeared in *Proc. Natl. Acad. Sci. USA*, 93:8796, 1996.].
- [211] E. A. Doherty, R. T. Batey, B. Masquida, and J. A. Doudna. A universal mode of helix packing in RNA. *Nat. Struct. Biol.*, 8:339–343, 2001.
- [212] S. Doniach and P. Eastman. Protein dynamics simulations from nanoseconds to microseconds. *Curr. Opin. Struct. Biol.*, 9:157–163, 1999.
- [213] J. A. Doudna. A molecular contortionist. *Nature*, 388:830–831, 1997.
- [214] J. A. Doudna. Ribozymes: The hammerhead swings into action. *Curr. Biol.*, 8:R495–R497, 1998.
- [215] J. A. Doudna. Structural genomics of RNA. *Nature Struct. Biol.*, 7:954–956, 2000. (Structural Genomics Supplement).
- [216] J. A. Doudna and J. H. Cate. RNA structure: Crystal clear? *Curr. Opin. Struct. Biol.*, 7:310–316, 1997.
- [217] R. B. Dover, L. F. Schneemeyer, and R. M. Fleming. Discovery of a useful thin-film dielectric using a composition-spread approach. *Nature*, 392:162–164, 1998.
- [218] G. M. Downs and P. Willett. Similarity searching in databases of chemical structures. In K. B. Lipkowitz and D. B. Boyd, editors, *Reviews in Computational Chemistry*, volume VII, pages 1–66. VCH Publishers, New York, NY, 1996.
- [219] D. A. Doyle, J. Morais Cabral, R. A. Pfuetzner, A. Kuo, J. M. Gulbis, S. L. Cohen, B. T. Chait, and R. MacKinnon. The structure of the potassium channel: Molecular basis of K^+ conduction and selectivity. *Science*, 280:69–77, 1998.

- [220] H. R. Drew, R. M. Wing, T. Takano, C. Broka, S. Tanaka, K. Itakura, and R. E. Dickerson. Structure of a B-DNA dodecamer: Conformation and dynamics. *Proc. Natl. Acad. Sci. USA*, 78:2179–2183, 1981.
- [221] J. Drews. Drug discovery: A historical perspective. *Science*, 287:1960–1964, 2000.
- [222] R. J. Driscoll, M. G. Younquist, and J. D. Baldeschwieler. Atomic-scale imaging of DNA using scanning tunnelling microscopy. *Nature*, 346:294–296, 1990.
- [223] Y. Duan and P. A. Kollman. Pathways to a protein folding intermediate observed in a 1-microsecond simulation in aqueous solution. *Science*, 282:740–744, 23 October 1998.
- [224] Y. Duan, P. A. Kollman, and S. C. Harvey. Protein folding and beyond. In E. Keinan and I. Schechter, editors, *Chemistry for the 21st Century*. Wiley-VCH, Weinheim, Germany, 2000.
- [225] Y. Duan, L. Wang, and P. A. Kollman. The early stage of folding of villin head-piece subdomain observed in a 200-nanosecond fully solvate molecular dynamics simulation. *Proc. Natl. Acad. Sci. USA*, 95:9897–9902, 1998.
- [226] Z.-H. Duan and R. Krasny. An Ewald summation based multipole method. *J. Chem. Phys.*, 113:3492–3495, 2000.
- [227] Z.-H. Duan and R. Krasny. An adaptive tree code for computing nonbonded potential energy in classical molecular systems. *J. Comput. Chem.*, 22:184–195, 2001.
- [228] S. Duane, A. D. Kennedy, B. J. Pendleton, and D. Roweth. Hybrid Monte Carlo. *Phys. Lett. B*, 195:216–222, 1987.
- [229] R. L. Dunbrack, Jr., D. L. Gerloff, M. Bower, X. Chen, O. Lichtarge, and F. E. Cohen. Meeting review: the second meeting on the critical assessment of techniques for protein structure prediction (CASP2), Asilomar, California, December 13–16, 1996. *Folding & Design*, 2:R27–R42, 1997.
- [230] H. J. Dyson and P. E. Wright. Insights into protein folding from NMR. *Annu. Rev. Phys. Chem.*, 47:369–395, 1996.
- [231] A. S. Edison. Linus Pauling and the planar peptide bond. *Nat. Struct. Biol.*, 8:201–202, 2001.
- [232] E. H. Egelman. Does a stretched DNA structure dictate the helical geometry of Rec-A-like filaments? *J. Mol. Biol.*, 309:539–542, 2001.
- [233] M. Egholm, O. Buchardt, P. E. Nielsen, and R. H. Berg. Peptide nucleic-acids (PNA) — Oligonucleotide analogs with an achiral peptide backbone. *J. Amer. Chem. Soc.*, 114:1895–1897, 1992.
- [234] M. Egholm, P. E. Nielsen, O. Buchardt, and R. H. Berg. Recognition of guanine and adenine in DNA by cytosine and thymine containing peptide nucleic-acids (PNA). *J. Amer. Chem. Soc.*, 114:9677–9678, 1992.
- [235] L. Ehrlich, C. Münkler, G. Chirico, and J. Langowski. A Brownian dynamics model for the chromatin fiber. *CABIOS*, 13(3):271–279, 1997.
- [236] R. Elber, J. Meller, and R. Olender. Stochastic path approach to compute atomically detailed trajectories: Application to the folding of C peptide. *J. Phys. Chem. B*, 103:899–911, 1999.

- [237] A. H. Elcock, R. R. Gabdouliline, R. C. Wade, and J. A. McCammon. Computer simulation of protein-protein association kinetics: Acetylcholinesterase-Fasciculin. *J. Mol. Biol.*, 291:149–162, 1999.
- [238] L. Eldén and L. Wittmeyer-Koch. *Numerical Analysis*. Academic Press, Inc., San Diego, CA, 1990.
- [239] A. D. Ellington and J. W. Szostak. *In Vitro* selection of RNA molecules that bind specific ligands. *Nature*, 346:818–822, 1990.
- [240] R. J. Ellis. Molecular chaperones: Avoiding the crowd. *Curr. Biol.*, 7:R531–R533, 1999.
- [241] R. J. Ellis. Molecular chaperones: Pathways and networks. *Curr. Biol.*, 9:R137–R139, 1999.
- [242] A. Elofsson and L. Nilsson. How consistent are molecular dynamics simulations? Comparing structure and dynamics in reduced and oxidized *Escherichia coli* Thioredoxin. *J. Mol. Biol.*, 233:766–780, 1991.
- [243] H. Erlandsen, E. E. Abola, and R. C. Stevens. Combining structural genomics and enzymology: Completing the picture in metabolic pathways and enzyme active sites. *Curr. Opin. Struct. Biol.*, 10:719–730, 2000.
- [244] D. L. Ermak and J. A. McCammon. Brownian dynamics with hydrodynamic interactions. *J. Chem. Phys.*, 69:1352–1360, 1978.
- [245] R. R. Ernst, G. Bodenhausen, and A. Wokaum. *Principles of Nuclear Magnetic Resonance in One and Two Dimensions*, volume 14 of *International Series of Monographs on Chemistry*. Clarendon Press, Oxford, New York, NY, 1987.
- [246] U. Essmann, L. Perera, M. L. Berkowitz, T. Darden, H. Lee, and L. G. Pedersen. A smooth particle mesh Ewald method. *J. Chem. Phys.*, 103:8577–8593, 1995.
- [247] W. E. Evans and M. V. Relling. Pharmacogenomics: Translating functional genomics into rational therapeutics. *Science*, 286:487–491, 1999.
- [248] V. A. Eyrich, D. M. Standley, and R. A. Friesner. Prediction of protein tertiary structure to low resolution: Performance for a large and structurally diverse test set. *J. Mol. Biol.*, 14:725–742, 1999.
- [249] H. R. Faber and B. W. Matthews. A mutant lysozyme displays five different crystal conformations. *Nature*, 348:263–265, 1990.
- [250] R. Bonneau [et al.] and D. Baker. [FILL] *Proteins: Struct. Func. Gen.*, 0:000–000, 2001.
- [251] M. Feig and B. M. Pettitt. Experiment vs. force fields: DNA conformation from molecular dynamics simulations. *Phys. Chem. B*, 101(38):7361–7363, 1997.
- [252] M. Feig and B. M. Pettitt. Crystallographic water sites from a theoretical perspective. *Curr. Biol.*, 6:1351–1354, 1998.
- [253] M. Feig and B. M. Pettitt. Structural equilibrium of DNA represented with different force fields. *Biophys. J.*, 75:134–149, 1998.
- [254] S. E. Feller, Y. Zhang, R. W. Pastor, and B. R. Brooks. Constant pressure molecular dynamics simulation: The Langevin piston method. *J. Chem. Phys.*, 103:4613–4621, 1995.
- [255] M. O. Fenley, K. Chua, A. H. Boschitsch, and W. K. Olson. A fast adaptive multipole method for computation of electrostatic energy in simulations of polyelectrolyte DNA. *J. Comput. Chem.*, 17:976–991, 1996.

- [256] M. O. Fenley, W. K. Olson, I. Tobias, and G. S. Manning. Electrostatic effects in short superhelical DNA. *Biophys. Chem.*, 50:255–271, 1994.
- [257] W. A. Fenton and A. L. Horwich. GroEL-mediated protein folding. *Protein Sci.*, 6:743–760, 1997.
- [258] P. Ferrara, J. Apostolakis, and A. Caffisch. Targeted molecular dynamics simulations of protein unfolding. *J. Phys. Chem. B.*, 104:4511–4518, 2000.
- [259] A. R. Ferré-D’Amaré and J. A. Doudna. RNA folds: Insights from recent crystal structures. *Ann. Rev. Biophys. Biomol. Struct.*, 28:57–73, 1999.
- [260] A. R. Ferré-D’Amaré, K. Zhou, and J. A. Doudna. Crystal structure of a hepatitis delta virus ribozyme. *Nature*, 395:567–574, 1998.
- [261] A. M. Ferrenberg, D. P. Landau, and Y. J. Wong. Monte Carlo simulations: Hidden errors from “good” random number generators. *Phys. Rev. Lett.*, 69:3382–3384, 1992.
- [262] M. Ferrer, T. A. Kapoor, T. Strassmaier, W. Weissenhorn, J. J. Skehel, D. Opryan, S. L. Schreiber, D. C. Wiley, and S. C. Harrison. Selection of gp41-mediated HIV-1 cell entry inhibitors from biased combinatorial libraries of non-natural binding elements. *Nature Struct. Biol.*, 6:953–960, 1999.
- [263] A. Fersht. *Structure and Mechanism in Protein Science: A Guide to Enzyme Catalysis and Protein Folding*. W. H. Freeman and Company, New York, NY, 1999.
- [264] F. Figueirido, R. M. Levy, R. Zhou, and B. J. Berne. Large scale simulation of macromolecules in solution: Combining the periodic fast multipole method with multiple time step integrators. *J. Chem. Phys.*, 106:9835–9849, 1997. (Erratum published in *J. Chem. Phys.* 107:7002, 1997).
- [265] D. Filmore. Taming the beast. *Mod. Drug Dis.*, 4:40–46, 2001.
- [266] J. T. Finch, L. C. Lutter, D. Rhodes, A. S. Brown, B. Rushton, M. Levitt, and A. Klug. Structure of nucleosome core particles of chromatin. *Nature*, 269:29–36, 1977.
- [267] D. Fincham. Optimisation of the Ewald sum for large systems. *Mol. Sim.*, 13:1–9, 1994.
- [268] A. Fischer, F. Cordes, and C. Schütte. Hybrid Monte Carlo with adaptive temperature in mixed-canonical ensemble: Efficient conformational analysis of RNA. *J. Comput. Chem.*, 19:1689–1697, 1998.
- [269] M. Fixman. Construction of Langevin forces in the simulation of hydrodynamic interaction. *Macromolecules*, 19:1204–1207, 1986.
- [270] D. Flatters and R. Lavery. Sequence-dependent dynamics of TATA-box binding sites. *Biophys. J.*, 75:372–381, 1998.
- [271] D. Flatters, M. Young, D. L. Beveridge, and R. Lavery. Conformational properties of the TATA-box binding sequence of DNA. *J. Biomol. Struct. Dynam.*, 14:757–765, 1997.
- [272] R. Fletcher. *Practical Methods of Optimization*. John Wiley & Sons, Tiptree, Essex, Great Britain, second edition, 1987.
- [273] P. J. Flory. *Statistical Mechanics of Chain Molecules*. Oxford University Press, New York, NY, 1988. (Reprinted version of the 1969 text with an added excerpt from Flory’s Nobel address).

- [274] C. A. Floudas and P. Pardalos, editors. *Optimization in Computational Chemistry and Molecular Biology: Local and Global Approaches*. Kluwer Academic Publishers, Dordrecht, The Netherlands, 2000.
- [275] J. Frank. *Three-Dimensional Electron Microscopy of Macromolecular Assemblies*. Academic Press, San Diego, CA, 1996.
- [276] M. D. Frank-Kamenetskii. *Unravelling DNA*. VCH Publishers, New York, NY, 1993. (Translated from Russian by L. Liapin).
- [277] M. D. Frank-Kamenetskii. Triplex DNA structures. *Ann. Rev. Biochem.*, 64:65–95, 1995.
- [278] H. Frauenfelder, S. G. Sligar, and P. G. Wolynes. The energy landscapes and motions of proteins. *Science*, 254:1598–1603, 1991.
- [279] H. Frauenfelder and P. G. Wolynes. Biomolecules: Where the physics of complexity and simplicity meet. *Phys. Today*, 47:58–64, 1994.
- [280] D. Frenkel and B. Smit. *Understanding Molecular Simulations. From Algorithms to Applications*. Academic Press, San Diego, CA, 1996.
- [281] M. Friedrichs, R. Zhou, S. R. Edinger, and R. A. Friesner. Poisson-Boltzmann analytical gradients for molecular modeling calculations. *J. Phys. Chem. B*, 103:3057–3061, 1999.
- [282] R. A. Friesner and J. R. Gunn. Computational studies of protein folding. *Annu. Rev. Biophys. Biomol. Struct.*, 25:315–342, 1996.
- [283] Frontiers in chemistry: Single molecules. *Science* **283**: 1667–1695 (1999), special compendium of articles.
- [284] F. B. Fuller. The writhing number of a space curve. *Proc. Natl. Acad. Sci. USA*, 68:815–819, 1971.
- [285] F. B. Fuller. Decomposition of the linking number of a closed ribbon: A problem from molecular biology. *Proc. Natl. Acad. Sci. USA*, 75:3557–3561, 1978.
- [286] E. A. Galburt and B. L. Stoddard. Time-resolved macromolecular crystallography. *Phys. Today*, 54:33–39, 1989.
- [287] H. H. Gan, R. A. Perlow, S. Roy, J. Ko, M. Wu, J. Huang, S. Yan, A. Nicoletta, J. Vafai, D. Sun, L. Wang, J. E. Noah, S. Pasquali, and T. Schlick. A sequence/structure map for proteins. *J. Mol. Biol.*, 2001. Submitted (Revised).
- [288] H. H. Gan and T. Schlick. Methods for macromolecular modeling (M^3): Assessment of progress and future perspectives. In T. Schlick and H. H. Gan, editors, *Computational Methods for Macromolecules: Challenges and Applications — Proceedings of the 3rd International Workshop on Algorithms for Macromolecular Modelling, New York, October 12–14, 2000*, volume 24 of *Lecture Notes in Computational Science and Engineering*, pages 1–25, Berlin and New York, 2002. Springer-Verlag.
- [289] H. H. Gan, A. Tropsha, and T. Schlick. Lattice protein folding with two and four-body statistical potentials. *Proteins: Struct. Func. Gen.*, 43:161–174, 2001.
- [290] R. M. Ganunis, H. Guo, and T. D. Tullius. Effect of the crystallizing agent 2-methyl-2,4-pentanediol on the structure of adenine tract DNA in solution. *Biochemistry*, 35:13729–13732, 1996.
- [291] F. Gao, E. Bailes, D. L. Robertson, Y. Chen, C. M. Rodenburg, S. F. Michael, L. B. Cummins, L. O. Arthur, M. Peeters, G. M. Shaw, P. M. Sharp, and B. H. Hahn.

- Origin of HIV-1 in the chimpanzee *pan troglodytes troglodytes*. *Nature*, 397:436–441, 1999.
- [292] J. Gao. Methods and applications of combined quantum mechanical and molecular mechanical potentials. In K. B. Lipkowitz and D. B. Boyd, editors, *Reviews in Computational Chemistry*, volume 7, pages 119–185. VCH Publishers, New York, NY, 1996.
- [293] B. García-Archilla, J.M. Sanz-Serna, and R.D. Skeel. Long-time-step methods for oscillatory differential equations. *SIAM J. Sci. Comput.*, 20:930–963, 1998.
- [294] C. W. Gear. *Numerical Initial Value Problems in Ordinary Differential Equations*. Prentice Hall, Englewood Cliffs, New Jersey, 1971.
- [295] P. Gedeck and P. Willet. Visual and computational analysis of structure-activity relationships in high-throughput screening data. *Curr. Opin. Chem. Biol.*, 5:389–395, 2001.
- [296] C. A. Gelfand, G. E. Plum, S. Mielewczyk, D. P. Remeta, and K. J. Breslauer. A quantitative method for evaluating the stabilities of nucleic acid complexes. *Proc. Natl. Acad. Sci. USA*, 96:6113–6118, 1999.
- [297] M. Gerstein and M. Levitt. Simulating water and the molecules of life. *Sci. Amer.*, 279(5):101–105, November 1998.
- [298] A. K. Ghose, V. N. Viswanadhan, and J. J. Wendoloski. A knowledge-based approach in designing combinatorial or medicinal chemistry libraries for drug discovery. 1. A qualitative and quantitative characterization of known drug databases. *J. Comb. Chem.*, 1:55–68, 1999.
- [299] K. B. Gibson and H. A. Scheraga. Decisions in force field development: Reply to Kollman and Dill. *J. Biomol. Struct. Dyn.*, 8:1109–1111, 1991.
- [300] J. C. Gilbert and C. Lemarechal. Some numerical experiments with variable-storage quasi-Newton algorithms. *Math. Prog. B*, 45:407–435, 1989.
- [301] J. C. Gilbert and J. Nocedal. Global convergence properties of conjugate gradient methods for optimization. Technical Report 1268, Institut National de Recherche en Informatique et en Automatique, January 1991.
- [302] P. E. Gill and M. W. Leonard. Reduced-Hessian quasi-Newton methods for unconstrained optimization. *SIAM J. Optim.*, 12:209–237, 2001.
- [303] P. E. Gill, W. Murray, and M. H. Wright. *Practical Optimization*. Academic Press, London, England, 1983.
- [304] P. M. W. Gill. A new expansion of the Coulomb interaction. *Chem. Phys. Lett.*, 270:193–195, 1997.
- [305] N. M. Glykos, G. Cesareni, and M. Kokkinidis. Protein plasticity to the extreme: Changing the topology of a 4-helical bundle with a single amino acid substitution. *Struc. Fold. Design*, 7:597–603, 1999.
- [306] S. Goedecker. Linear scaling electronic structure methods. *Rev. Mod. Phys.*, 71:1085–1123, 1999.
- [307] V. Gogonea, D. Suárez, A. van der Vaart, and K. M. Merz, Jr. New developments in applying quantum mechanics to proteins. *Curr. Opin. Struct. Biol.*, 11:217–223, 2001.

- [308] B. L. Golden, A. R. Gooding, E. R. Podell, and T. R. Cech. A preorganized active site in the crystal structure of the *tetrahymena* ribozyme. *Science*, 282:259–264, 1998.
- [309] G. H. Golub and C. F. van Loan. *Matrix Computations*. John Hopkins University Press, Baltimore, MD, second edition, 1986.
- [310] O. Gonzales and J. C. Simo. On the stability of symplectic and energy-momentum conserving algorithms for nonlinear Hamiltonian systems with symmetry. *Comput. Meth. App. Mech. Engin.*, 134:197, 1994.
- [311] J. A. González and R. Pino. A random number generator based on unpredictable chaotic functions. *Comput. Phys. Comm.*, 120:109–114, 1999.
- [312] A. C. Good and J. S. Mason. Three-dimensional structure database searches. In K. B. Lipkowitz and D. B. Boyd, editors, *Reviews in Computational Chemistry*, volume VII, pages 66–117. VCH Publishers, New York, NY, 1996.
- [313] L. Goodman, V. Pophristic, and F. Weinhold. Origin of methyl internal rotation barriers. *Acc. Chem. Res.*, 32:983–993, 1999.
- [314] A. A. Gorin, V. B. Zhurkin, and W. K. Olson. B-DNA twisting correlates with base pair morphology. *J. Mol. Biol.*, 247:34–48, 1995.
- [315] H. Gould and J. Tobochnik. *An Introduction to Computer Simulation Methods: Applications to Physical Systems. Part I*. Addison-Wesley, Reading, Massachusetts, 1988.
- [316] L. Greengard. *The Rapid Evaluation of Potential Fields in Particle Systems*. MIT Press, Cambridge, Massachusetts, 1988.
- [317] L. Greengard. Fast algorithms for classical physics. *Science*, 265:909–914, 1994.
- [318] L. Greengard and V. Rokhlin. A fast algorithm for particle simulation. *J. Comput. Phys.*, 73:325–348, 1987.
- [319] L. Greengard and V. Rokhlin. On the evaluation of electrostatic interactions in molecular modeling. *Chemica Scripta*, 29A:139–144, 1989.
- [320] L. Greengard and V. Rokhlin. A new version of the fast multipole method for the Laplace equation in three dimensions. *Acta Numerica*, 6:229–269, 1997.
- [321] A. Griewank and G. F. Corliss, editors. *Automatic Differentiation of Algorithms: Theory, Implementation, and Applications*. SIAM, Philadelphia, PA, 1991.
- [322] J. M. Grimes, J. N. Burroughs, P. Gouet, J. M. Diprose, R. Malby, S. Ziéntara, P. P. C. Mertens, and D. I. Stuart. The atomic structure of the bluetongue virus core. *Nature*, 395:470–478, 1998.
- [323] H. Grubmüller, H. Heller, A. Windemuth, and K. Schulten. Generalized Verlet algorithm for efficient molecular dynamics simulations with long-range interactions. *Mol. Sim.*, 6:121–142, 1991.
- [324] P. Güntert. Structure calculation of biological macromolecules from NMR data. *Quart. Rev. Biophys.*, 31:145–237, 1998.
- [325] P. J. Hagerman. Flexibility of DNA. *Ann. Rev. Biophys. Biophys. Chem.*, 17:265–286, 1988.
- [326] P. J. Hagerman. Straightening out the bends in curved DNA. *Biochim. Biophys. Acta*, 1131:125–132, 1992.
- [327] P. J. Hagerman. Flexibility of RNA. *Ann. Rev. Biophys. Biomol. Struc.*, 26:139–156, 1997.

- [328] J. M. Haile. *Molecular Dynamics Simulations: Elementary Methods*. John Wiley & Sons, New York, NY, 1992.
- [329] E. Hairer and G. Wanner. *Solving Ordinary Differential Equations II. Stiff and Differential-Algebraic Problems*, volume 14 of *Springer Series in Computational Mathematics*. Springer-Verlag, New York, NY, second edition, 1996.
- [330] T. A. Halgren. Merck molecular force field: I. Basis, form, scope, parameterization and performance of MMFF94. *J. Comput. Chem.*, 17:490–519, 1996.
- [331] T. A. Halgren. Merck molecular force field: II. MMFF94 van der Waals and electrostatic parameters for intermolecular interactions. *J. Comput. Chem.*, 17:520–552, 1996.
- [332] T. A. Halgren. MMFF VII. Characterization of MMFF94, MMFF94s, and other widely available force fields for conformational energies and for interaction energies and geometries. *J. Comput. Chem.*, 20:730–748, 1999.
- [333] T. A. Halgren and W. Damm. Polarizable force fields. *Curr. Opin. Struct. Biol.*, 11:236–242, 2001.
- [334] P. Hammarström, F. Schneider, and J. W. Kelly. Trans-suppression of misfolding in an amyloid disease. *Science*, 293:2459–2462, 2001.
- [335] M. Hann and R. Green. Cheminformatics – A new name for an old problem? *Curr. Opin. Chem. Biol.*, 3:379–383, 1999.
- [336] U. H. E. Hansmann and Y. Okamoto. New Monte Carlo algorithms for protein folding. *Curr. Opin. Struct. Biol.*, 9:177–183, 1999.
- [337] M. H. Hao, M. R. Pincus, S. Rackovsky, and H. A. Scheraga. Unfolding and refolding of the native structure of bovine pancreatic trypsin inhibitor studied by computer simulations. *Biochemistry*, 32:9614–9631, 1993.
- [338] T. E. Haran, J. D. Kahn, and D. M. Crothers. Sequence elements responsible for DNA curvature. *J. Mol. Biol.*, 244:135–143, 1994.
- [339] H. S. Harned and B. B. Owen. *The Physical Chemistry of Electrolytic Solutions*. American Chemical Society Monograph Series. Reinhold Publishing Corporation, New York, NY, second edition, 1950.
- [340] W. E. Harte, Jr., S. Swaminathan, and D. L. Beveridge. Molecular dynamics of HIV-1 protease. *Proteins: Struct. Func. Gen.*, 13:175–194, 1992.
- [341] S. C. Harvey, M. Dlakic, J. Griffith, R. Harrington, K. Park, D. Sprous, and W. Zacharias. What is the basis of sequence-directed curvature in DNAs containing A-tracts? *J. Biomol. Struct. Dynam.*, 13:301–307, 1995.
- [342] S. C. Harvey and H. A. Gabb. Conformational transitions using molecular dynamics with minimum biasing. *Biopolymers*, 33:1167–1172, 1993.
- [343] S. C. Harvey and M. Prabhakaran. Ribose puckering: Structure, dynamics, energetics and the pseudorotation cycle. *J. Amer. Chem. Soc.*, 108:6128–6136, 1986.
- [344] S. C. Harvey, M. Prabhakaran, B. Mao, and J. A. McCammon. Phenylalanine transfer RNA: Molecular dynamics simulation. *Science*, 223:1189–1191, 1984.
- [345] S. C. Harvey, R. K.-Z. Tan, and III T. E. Cheatham. The flying ice cube: Velocity rescaling in molecular dynamics lead to violation of energy equipartition. *J. Comput. Chem.*, 19:726–740, 1998.

- [346] M. A. El Hassan and C. R. Calladine. Conformational characteristics of DNA: Empirical classifications and a hypothesis for the conformational behaviour of dinucleotide steps. *Philosophical Transactions: Mathematical, Physical and Engineering Sciences*, 355:43–100, 1997.
- [347] S. A. Hassan, F. Guarnieri, and E. L. Mehler. A general treatment of solvent effects based on screened Coulomb potentials. *J. Phys. Chem. B*, 104:6478–6489, 2000.
- [348] W. A. Hasteline. Beyond chicken soup. *Sci. Amer.*, 285:56–63, 2001.
- [349] H. A. Hauptman. The phase problem of X-ray crystallography. *Phys. Today*, 42:24–29, 1989.
- [350] D. M. Hayes, P.A. Kollman, and S. Rothenberg. A conformational analysis of H_3PO_4 , H_3PO_4^- , HPO_4^{2-} and related model compounds. *J. Amer. Chem. Soc.*, 99:2150–2154, 1977.
- [351] D. J. Hazuda, P. Felock, M. Witmer, A. Wolfe, K. Stillmock, J. A. Grobler, A. Espe-
seth, L. Gabryelski, W. Schleif, C. Blau, and Michael D. Miller. Inhibitors of strand
transfer that prevent integration and inhibit HIV-1 replication in cells. *Science*,
287:646–650, 2000.
- [352] C. E. Hecht. *Statistical Thermodynamics and Kinetic Theory*. W. H. Freeman, New
York, NY, 1990.
- [353] W. A. Hendrickson. Determination of macromolecular structures from anomalous
diffraction of synchrotron radiation. *Science*, 254:51–58, 1991.
- [354] W. A. Hendrickson and C. Ogata. Phase determination from multiwavelength
anomalous diffraction measurements. *Meth. Enzymol.*, 276:494–523, 1997.
- [355] C. M. Henry. Pharmacogenomics. *Chem. Engin. News*, 79:37–42, 2001.
- [356] T. Hermann and D. J. Patel. Stitching together RNA tertiary architectures. *J. Mol.
Biol.*, 294:828–849, 1999.
- [357] T. Hermann and D. J. Patel. Adaptive recognition by nucleic acid aptamers. *Science*,
287:820–825, 2000.
- [358] T. L. Hill. *An Introduction to Statistical Thermodynamics*. Dover, New York, NY,
1986.
- [359] B. E. Hingerty, S. Figueroa, T. L. Hayden, and S. Broyde. Prediction of DNA
structure from sequence: A buildup technique. *Biopolymers*, 8:1195–1222, 1989.
- [360] B. E. Hingerty, R. H. Ritchie, T. L. Ferrell, and J. E. Turner. Dielectric effects in
biopolymers: The theory of ionic saturation revisited. *Biopolymers*, 24:427–439,
1985.
- [361] J.-B. Hiriart-Urruty and C. Lemaréchal. *Convex Analysis and Minimization. Algo-
rithms I*, volume 305 of *Grundlehren der mathematischen Wissenschaften. A Series
of Comprehensive Studies in Mathematics*. Springer-Verlag, Berlin and Heidelberg,
1993.
- [362] J.-B. Hiriart-Urruty and C. Lemaréchal. *Convex Analysis and Minimization. Algo-
rithms II*, volume 306 of *Grundlehren der mathematischen Wissenschaften. A Series
of Comprehensive Studies in Mathematics*. Springer-Verlag, Berlin and Heidelberg,
1993.
- [363] J. Hizver, H. Rozenberg, F. Frolow, D. Rabinovich, and Z. Shakked. DNA bending
by an adenine-thymine tract and its role in gene regulation. *Proc. Natl. Acad. Sci.
USA*, 98:8490–8495, 2001.

- [364] P. Hobza and J. Šponer. Structure, energetics, and dynamics of the nucleic acid base pairs: Nonempirical Ab Initio calculations. *Chem. Rev.*, 99:3247–3276, 1999.
- [365] R. W. Hockney and J. W. Eastwood. *Computer Simulation Using Particles*. McGraw-Hill, New York, NY, 1981.
- [366] R. W. Hockney and J. W. Eastwood. *Computer Simulation Using Particles*. Institute of Physics, London, England, 1988.
- [367] E. Hodgkin and K. Andrew-Cramer. Compound collections get focused. *Modern Drug Discovery*, 3:55–60, 2000.
- [368] S. R. Holbrook and S.-H. Kim. RNA crystallography. *Biopolymers*, 44:3–21, 1997.
- [369] B. L. Holian, O. E. Percus, T. T. Warnock, and P. A. Whitlock. Pseudorandom number generator for massively parallel molecular-dynamics applications. *Phys. Rev. E*, 50:1607–1615, 1994.
- [370] L. Holm and C. Sander. Mapping the protein universe. *Science*, 273:595–602, 1996.
- [371] A. Holmgren and C.-I. Bränden. Crystal structure of chaperone protein PapD reveals an immunoglobulin fold. *Nature*, 342:248–251, 1989.
- [372] S. K. Holmgren, K. M. Taylor, L. E. Bretscher, and R. T. Raines. Code for collagen's stability deciphered. *Nature*, 392, 1998.
- [373] M. Holst, N. Baker, and E. Wang. Adaptive multilevel finite element solution of the Poisson-Boltzmann equation I. Algorithms and examples. *J. Comput. Chem.*, 21:1319–1342, 2000.
- [374] B. Honig. Protein folding: From the Levinthal paradox to structure prediction. *J. Mol. Biol.*, 293:283–293, 1999.
- [375] B. Honig and A. Nicholls. Classical electrostatics in biology and chemistry. *Science*, 268:1144–1149, 1995.
- [376] W. Hoover. Classical dynamics: Equilibrium phase-space distributions. *Phys. Rev. A*, 31:1695–1697, 1985.
- [377] M. P. Horvath and S. C. Schultz. DNA G-quartets in a 1.86 Å resolution structure of an *Oxytricha Nova* telomeric protein-DNA complex. *J. Mol. Biol.*, 310:367–377, 2001.
- [378] W. A. Houry, D. Frishman, C. Eckerskorn, F. Lottspeich, and F. U. Hartl. Identification of *in vivo* substrates of the chaperonin GroEL. *Nature*, 402:147–154, 1999.
- [379] K. Howard. The bioinformatics gold rush. *Sci. Amer.*, 283:58–63, 2000.
- [380] H. Huang, R. Chopra, G. L. Verdine, and S. C. Harrison. Structure of a covalently trapped catalytic complex of HIV-1 reverse transcriptase: Implications for drug resistance. *Science*, 282:1669–1675, 1998.
- [381] J. Huang, T. Schlick, and A. Vologodskii. Dynamics of site juxtaposition in supercoiled DNA. *Proc. Natl. Acad. Sci. USA*, 98:968–973, 2001.
- [382] N. V. Hud and J. Feigon. Localization of divalent metal ions in the minor groove of DNA A-tracts. *J. Amer. Chem. Soc.*, 119:5756–5757, 1997.
- [383] D. E. Humphreys, R. A. Friesner, and B. J. Berne. A multiple-time-step molecular dynamics algorithm for macromolecules. *J. Phys. Chem.*, 98(27):6885–6892, 1994.
- [384] P. H. Hünenberger and J. A. McCammon. Effect of artificial periodicity in simulations of biomolecules under Ewald boundary conditions: A continuum electrostatics study. *Biophys. Chem.*, 78:69–88, 1999.

- [385] P. H. Hünenberger and J. A. McCammon. Ewald artifacts in computer simulations of ionic solvation and ion-ion interaction: A continuum electrostatics study. *J. Chem. Phys.*, 110:1856–1872, 1999.
- [386] P. A. Hunt. QSAR using 2D descriptors and TRIPOS' SIMCA. *J. Comput.-Aided Mol. Design*, 13:453–467, 1999.
- [387] V. M. Ingram. Hemoglobin: The chemical difference between normal and sickle cell hemoglobin. *Nature*, 180:326–328, 1957.
- [388] B. Isralewitz, J. Baudry, J. Gullingsrud, D. Kosztin, and K. Schulten. Steered molecular dynamics investigations of protein function. *J. Mol. Graph. Model.*, 19:13–25, 2001.
- [389] B. Isralewitz, M. Gao, and K. Schulten. Steered molecular dynamics and mechanical functions of proteins. *Curr. Opin. Struct. Biol.*, 11:224–230, 2001.
- [390] J. A. Izaguirre. *Longer Time Steps for Molecular Dynamics*. PhD thesis, University of Illinois at Urbana-Champaign, 1999. Also UIUC Technical Report UIUCDCS-R-99-2107. Available via www.cs.uiuc.edu/research/tech-reports.html.
- [391] S. Izrailev, A. R. Crofts, E. A. Berry, and K. Schulten. Steered molecular dynamics simulation of the Rieske subunit motion in the cytochrome bc_1 complex. *Biophys. J.*, 77:1753–1768, 1999.
- [392] A. Jack and M. Levitt. Refinement of large structures by simultaneous minimization of energy and R factor. *Acta Crystallogr.*, A34:931–935, 1978.
- [393] T. L. James, H. Liu, N. B. Ulyanov, S. Farr-Jones, H. Zhang, D. G. Donne, K. Kaneko, D. Groth, I. Mehlhorn, S. B. Prusiner, and F. E. Cohen. Solution structure of a 142-residue recombinant prion protein corresponding to the infectious fragment of the scrapie isoform. *Proc. Natl. Acad. Sci. USA*, 94:10086–10091, 1997.
- [394] D. Janežič and F. Merzel. An efficient symplectic integration algorithm for molecular dynamics simulations. *J. Chem. Info. Comput. Sci.*, 35:321–326, 1995.
- [395] D. Janežič and B. Orel. Implicit Runge-Kutta method for molecular dynamics integration. *J. Chem. Info. Comput. Sci.*, 33:252–257, 1993.
- [396] R. M. Jendrejack, M. D. Graham, and J. J. de Pablo. Hydrodynamic interactions in long chain polymers: Application of the Chebyshev polynomial approximation in stochastic simulations. *J. Chem. Phys.*, 113:2894–2900, 2000.
- [397] M. Ø Jensen, E. Tajkhorshid, and K. Schulten. The mechanism of glycerol conduction in aquaglyceroporins. *Structure*, 9:1083–1093, 2001. In Press.
- [398] H. Jian. *A Combined Wormlike-Chain and Bead Model for Dynamic Simulations of Long DNA*. PhD thesis, New York University, Department of Physics, New York, NY, October 1997.
- [399] H. Jian, T. Schlick, and A. Vologodskii. Internal motion of supercoiled DNA: Brownian dynamics simulations of site juxtaposition. *J. Mol. Biol.*, 284:287–296, 1998.
- [400] V. F. R. Jones. Knot theory and statistical mechanics. *Sci. Amer.*, 263:98–103, 1990.
- [401] P. Jordan, P. Fromme, H. T. Witt, O. Klukas, W. Saenger, and N. Krauß. Three-dimensional structure of cyanobacterial photosystem I at 2.5 Å resolution. *Nature*, 411:909–917, 2001.

- [402] W. L. Jorgensen, J. Chandrasekar, J. Madura, R. Impey, and M. Klein. Comparison of simple potential functions for simulating liquid water. *J. Chem. Phys.*, 79:926–935, 1983.
- [403] W. L. Jorgensen and J. Tirado-Rives. Monte Carlo vs. molecular dynamics for conformational sampling. *J. Phys. Chem.*, 100:14508–14513, 1996.
- [404] G. F. Joyce, W. C. Still, and K. T. Chapman. Combinatorial chemistry. Searching for a winning combination (Editorial overview). *Curr. Opin. Chem. Biol.*, 1:3–4, 1997.
- [405] H. F. Judson. *The Eighth Day of Creation. Makers of the Revolution in Biology*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1996. (Expanded edition).
- [406] M. H. Kalos and P. A. Whitlock. *Monte Carlo Methods. Volume I: Basics*. John Wiley & Sons, New York, NY, 1986.
- [407] R. Kanaar and N. R. Cozzarelli. Roles of supercoiled DNA structure in DNA transactions. *Curr. Opin. Struct. Bio.*, 2:369–379, 1992.
- [408] F. Kang. The Hamiltonian way for computing Hamiltonian dynamics. In R. Spigler, editor, *Applied and Industrial Mathematics*, pages 17–35. Kluwer Academic, Dordrecht, The Netherlands, 1990.
- [409] J. Karle. Macromolecular structure from anomalous dispersion. *Phys. Today*, 42:20–22, 1989.
- [410] J. Khandogin, A. Hu, and D. M. York. Electronic structure properties of solvated biomolecules: A quantum approach for macromolecular characterization. *J. Comput. Chem.*, 21:1562–1571, 2000.
- [411] E. K. Kick, D. C. Roe, A. G. Skillman, G. Liu, T. J. A. Ewing, Y. Sun, I. D. Kuntz, and J. A. Ellman. Structure-based design of combinatorial chemistry yield low nanomolar inhibitors of cathepsin D. *Chem. Biol.*, 4:297–307, 1997.
- [412] C. L. Kielkopf, S. Ding, P. Kuhn, and D. C. Rees. Conformational flexibility of B-DNA at 0.74 Å resolution: d(CCAGTACTGG)₂. *J. Mol. Biol.*, 296:787–801, 2000.
- [413] J. G. Kirkwood. Statistical mechanics of fluid mixtures. *J. Chem. Phys.*, 3:300–313, 1935.
- [414] A. Kitao and N. Go. Investigating protein dynamics in collective coordinate space. *Curr. Opin. Struct. Biol.*, 9:164–169, 1999.
- [415] I. Klapper. Biological applications of the dynamics of twisted elastic rods. *J. Comput. Phys.*, 125:325–337, 1996.
- [416] B. J. Klein and G. R. Pack. Calculations of the spatial distribution of charge density in the environment of DNA. *Biopolymers*, 22:2331–2352, 1983.
- [417] D. J. Klein, T. M. Schmeing, P. B. Moore, and T. A. Steitz. The kink-turn: A new RNA secondary structure motif. *EMBO J.*, 20:4214–4221, 2001.
- [418] D. K. Klimov and D. Thirumalai. Viscosity dependence of the folding rates of proteins. *Phys. Rev. Lett.*, 79:317–320, 1997.
- [419] J. Kling. Out of Malaysia: Finding natural products to fight AIDS. *Mod. Drug Dis.*, 2:31–36, 1999.
- [420] R. D. Knight and L. F. Landweber. The early evolution of the genetic code. *Cell*, 101:569–572, 2000.
- [421] D. E. Knuth. *The Art of Computer Programming. Volume 2: Seminumerical Methods*. Addison-Wesley, Reading, Massachusetts, second edition, 1981.

- [422] P. Koehl and M. Levitt. A brighter future for protein structure prediction. *Nature Struc. Biol.*, 6:108–111, 1999.
- [423] P. Koehl and M. Levitt. Theory and simulation: Can theory challenge experiment? *Curr. Opin. Struct. Biol.*, 9:155–156, 1999.
- [424] P. A. Kollman and K. A. Dill. Decisions in force field development: An alternative to those described by Roterman *et al.* *J. Biomol. Struct. Dyn.*, 8:1103–1107, 1991.
- [425] J. H. Konnert and W. A. Hendrickson. A restrained-parameter thermal-factor refinement procedure. *Acta Crystallogr.*, A36:344–350, 1980.
- [426] M. W. Konrad and J. I. Bolonick. Molecular dynamics simulation of DNA stretching is consistent with the tension observed for extension and strand separation and predicts a novel ladder structure. *J. Amer. Chem. Soc.*, 118:10989–10994, 1996.
- [427] E. V. Koonin, L. Aravind, and A. S. Kondrashov. The impact of comparative genomics on our understanding of evolution. *Cell*, 101:573–576, 2000.
- [428] R. Kornberg and J. O. Thomas. Chromatin structure: Oligomers of histones. *Science*, 184:865–868, 1974.
- [429] C. Korth, B. C. H. May, F. E. Cohen, and S. B. Prusiner. Acridine and phenothiazine derivatives as pharmacotherapeutics for prion disease. *Proc. Natl. Acad. Sci. USA*, 98:9836–9841, 2001.
- [430] K. M. Kosikov, A. A. Gorin, V. B. Zhurkin, and W. K. Olson. DNA stretching and compression: Large-scale simulations of double helical structures. *J. Mol. Biol.*, 289:1301–1326, 1999.
- [431] D. Kosztin, T. C. Bishop, and K. Schulten. Binding of the estrogen receptor to DNA: The role of waters. *Biophys. J.*, 73:557–570, 1997.
- [432] R. Z. Kramer, J. Bella, B. Brodsky, and H. M. Berman. The crystal and molecular structure of a collagen-like peptide with a biologically relevant sequence. *J. Mol. Biol.*, 311:131–147, 2001.
- [433] M. Kröger, A. Alba-Perez, M. Laso, and H. C. Öttinger. Variance reduced Brownian simulation of a bead-spring chain under steady shear flow considering hydrodynamic interaction effects. *J. Chem. Phys.*, pages 4767–4773, 2000.
- [434] R. Kubo. The fluctuation-dissipation theorem. *Rep. Prog. Phys.*, 29:255–284, 1966.
- [435] W. Kühlbrandt and K. A. Williams. Analysis of macromolecular structure and dynamics by electron cryo-microscopy. *Curr. Opin. Chem. Biol.*, 3:537–543, 1999.
- [436] P. D. Kwong, R. Wyatt, J. Robinson, R. W. Sweet, J. Sodroski, and W. A. Hendrickson. Structure of an HIV gp 120 envelope glycoprotein in complex with the CD4 receptor and a neutralizing human antibody. *Nature*, 393:648–659, 1998.
- [437] L. J. LaBerge and J. C. Tully. A rigorous procedure for combining molecular dynamics and Monte Carlo simulation algorithms. *Chem. Phys.*, 260:183–191, 2000.
- [438] M. L. Lamb, K. W. Burdick, S. Toba, M. M. Young, A. G. Skillman, X. Zou, J. R. Arnold, and I. D. Kuntz. Design, docking, and evaluation of multiple libraries against multiple targets. *Proteins: Struc. Func. Gen.*, 42:296–318, 2001.
- [439] C. G. Lambert, T. A. Darden, and J. A. Board, Jr. A multipole-based algorithm for efficient calculation of forces and potentials in macroscopic periodic assemblies of particles. *J. Comput. Phys.*, 126:274–285, 1996.

- [440] L. D. Landau and E. M. Lifshitz. *Course of Theoretical Physics*, volume 5. Pergamon Press, Oxford, third edition, 1980.
- [441] E. Lander. The new genomics: Global views of biology. *Science*, 274:536–539, 1996.
- [442] B. A. Larder and D. K. Stammers. Closing in on HIV drug resistance. *Nature Struct. Biol.*, 6:103–106, 1999.
- [443] A. Larshminarayanan and V. Sasisekharan. Stereochemistry of nucleic acids and polynucleotides. IV. Conformational energy of base-sugar units. *Biopolymers*, 8:475–488, 1969.
- [444] A. M. Law and W. D. Kelton. *Simulation Modeling and Analysis*. McGraw-Hill Series in Industrial Engineering and Management Science. McGraw-Hill, Boston, MA, third edition, 2000.
- [445] T. Lazaridis and M. Karplus. “New view” of protein folding reconciled with the old through multiple unfolding simulations. *Science*, 278:1928–1931, 1997.
- [446] A. M. Leach. *Molecular Modelling. Principles and Applications*. Pearson Education Limited, Harlow, England, second edition, 2001.
- [447] A. Lebrun and R. Lavery. Modelling extreme stretching of DNA. *Nucl. Acids Res.*, 24:2260–2267, 1996.
- [448] A. Lebrun and R. Lavery. Unusual DNA conformations. *Curr. Opin. Struct. Biol.*, 7:348–356, 1998.
- [449] P. L’Ecuyer. Uniform random number generation. *Ann. Oper. Res.*, 53:77–120, 1994.
- [450] P. L’Ecuyer. Maximally-equidistributed combined Tausworthe generators. *Math. Comput.*, 65:203–213, 1996.
- [451] P. L’Ecuyer. Bad lattice structures for vectors of non-successive values produced by some linear recurrences. *Inform. J. Comput.*, 9:57–60, 1997.
- [452] P. L’Ecuyer. Random number generation. In J. Banks, editor, *Handbook on Simulation*, chapter 4, pages 93–137. John Wiley & Sons, New York, NY, 1998.
- [453] P. L’Ecuyer. Good parameter sets for combined multiple recursive random number generators. *Oper. Res.*, 47:159–164, 1999.
- [454] P. L’Ecuyer. Tables of maximally-equidistributed combined LFSR generators. *Math. Comput.*, 68:261–269, 1999.
- [455] P. L’Ecuyer and T. H. Andres. A random number generator based on the combination of four LCGs. *Mathematics and Computers in Simulation*, 44:99–107, 1997.
- [456] B. Lee and F. M. Richards. The interpretation of protein structures: Estimation of static accessibility. *J. Mol. Biol.*, 55:379–400, 1971.
- [457] T.-S. Lee, D. M. York, and W. Yang. Linear-scaling semiempirical quantum calculations for macromolecules. *J. Chem. Phys.*, 105:2744–2750, 1996.
- [458] R. B. Lehoucq, D. C. Sorensen, and C. Yang. *ARPACK Users’ Guide: Solution of Large-Scale Eigenvalue Problems with Implicitly Restarted Arnoldi Methods*. SIAM, Philadelphia, PA, 1998. www.caam.rice.edu/software/ARPACK/indexold.html.
- [459] B. Leimkuhler and R. D. Skeel. Symplectic numerical integrators in constrained Hamiltonian systems. *J. Comput. Phys.*, 112:117–125, 1994.

- [460] D. A. Leonard, N. Rajaram, and T. K. Kerppola. Structural basis of DNA bending and oriented heterodimer binding by the basic leucine zipper domains of Fos and Jun. *Proc. Natl. Acad. Sci. USA*, 94:4913–4918, 1997.
- [461] N. B. Leontis and E. Westhof. Conserved geometrical base-pairing patterns in RNA. *Quart. Rev. Biophys.*, 31:399–455, 1998.
- [462] N. B. Leontis and E. Westhof. Geometric nomenclature and classification of RNA base pairs. *RNA*, 7:499–512, 2001.
- [463] S. D. Levene, H.-M. Wu, and D. M. Crothers. Bending and flexibility of kinetoplast DNA. *Biochemistry*, 25:3988–3995, 1986.
- [464] I. N. Levine. *Quantum Chemistry*. Prentice-Hall, Inc., Englewood Cliffs, New Jersey, fourth edition, 1991.
- [465] C. Levinthal. Are there pathways for protein folding? *J. Chim. Physique*, 65:44–45, 1969.
- [466] C. Levinthal. How to fold gracefully. In P. Debrunner, J. C. M. Tsibris, and E. Münch, editors, *Mossbauer Spectroscopy in Biological Systems, Proceedings of a Meeting held at Allerton House, Monticello, Illinois*, page 22, Urbana, Illinois, 1969. University of Illinois Press.
- [467] M. Levitt. How many base-pairs per turn does DNA have in solution and in chromatin? Some theoretical calculations. *Proc. Natl. Acad. Sci. USA*, 75:640–644, 1978.
- [468] M. Levitt. Computer simulation of DNA double-helix dynamics. *Cold Spring Harbor Symp. Quant. Biol.*, 47:251–275, 1983.
- [469] M. Levitt. The birth of computational structural biology. *Nat. Struc. Biol.*, 8:392–393, 2001.
- [470] M. Levitt and A. Warshel. Extreme conformational flexibility of the furanose ring in DNA and RNA. *J. Amer. Chem. Soc.*, 100:2607–2613, 1978.
- [471] R. M. Levy and E. Gallicchio. Computer simulations with explicit solvent: Recent progress in the thermodynamic decomposition of free energies, and in modeling electrostatic effects. *Annu. Rev. Phys. Chem.*, 49:531–567, 1998.
- [472] R. M. Levy, R. P. Sheridan, J. W. Keepers, G. S. Dubey, S. Swaminathan, and M. Karplus. Molecular dynamics of myoglobin at 298°K. Results from a 300-ps computer simulation. *Biophys. J.*, 48:509–518, 1985.
- [473] J. P. Lewis, C. W. Carter, Jr., J. Hermans, W. Pan, T.-S. Lee, and W. Yang. Active species for the ground-state complex of cytidine deaminase: A linear-scaling quantum mechanical investigation. *J. Amer. Chem. Soc.*, 1998. Submitted.
- [474] J. P. Lewis, P. Ordejón, and O. F. Sankey. An electronic structure based molecular dynamics for large biomolecular systems: Applications to the 10 basepair Poly(dG)*Poly(dC) DNA double helix. *Phys. Rev. B*, 55:6880–6887, 1997.
- [475] J. P. Lewis, N. H. Pawley, and O. F. Sankey. Theoretical investigation of the cyclic peptide system cyclo[(D-Ala-Glu-D-Ala-Gln)_{m=1–4}]. *J. Phys. Chem. B*, 101:10576–10583, 1997.
- [476] J. Li, C. J. Cramer, and D. G. Truhlar. Application of a universal solvation model to nucleic acid bases: Comparison of semiempirical molecular orbital theory, ab initio Hartree–Fock theory, and density functional theory. *Biophys. Chem.*, 78:147–155, 1999.

- [477] Z. Li and H. A. Scheraga. Monte Carlo-minimization approach to the multiple-minima problem in protein folding. *Proc. Natl. Acad. Sci. USA*, 84:6611–6615, 1987.
- [478] E. Liepinsh, G. Otting, and K. Wuthrich. NMR observation of individual molecules of hydration water bound to DNA duplexes: Direct evidence for a spine of hydration water present in aqueous solution. *Nucl. Acids Res.*, 20:6549–6553, 1992.
- [479] S. Lifson. Potential energy functions for structural molecular biology. In D. B. Davies, W. Saenger, and S. S. Danyluk, editors, *Methods in Structural Molecular Biology*, pages 359–385. Plenum Press, London, England, 1981.
- [480] S. Lifson. Theoretical foundation for the empirical force field method. *Gazzetta Chimica Italiana*, 116:687–692, 1986.
- [481] S. Lifson and A. Warshel. Consistent force field for calculations of conformations, vibrational spectra, and enthalpies of cycloalkane and *n*-alkane molecules. *J. Chem. Phys.*, 49:5116–5129, 1968.
- [482] J.-H. Lii and N. L. Allinger. Intensities of infrared bands in molecular mechanics (MM3). *J. Comput. Chem.*, 13:1138–1141, 1992.
- [483] J.-H. Lii and N. L. Allinger. Directional hydrogen bonding in the MM3 force field: II. *J. Comput. Chem.*, 19:1001–1016, 1998.
- [484] J. Liphardt, B. Onoa, S. B. Smith, I. Tinoco, Jr., and C. Bustamante. Reversible unfolding of single RNA molecules by mechanical force. *Science*, 292:733–737, 2001.
- [485] K. B. Lipkowitz. Abuses of molecular mechanics. Pitfalls to avoid. *J. Chem. Educ.*, 72:1070–1075, 1995.
- [486] D. C. Liu and J. Nocedal. On the limited memory BFGS method for large-scale optimization. *Math. Prog. B*, 45:503–528, 1989.
- [487] D. J. Liu and L. A. Day. Pfl virus structure: Helical coat protein and DNA with paraxial phosphates. *Science*, 265:671–674, 1994.
- [488] H. Liu, M. Elstner, E. Kaxiras, T. Frauenheim, J. Hermans, and W. Yang. Quantum mechanics simulation of protein dynamics on long timescale. *Proteins: Struct. Func. Gen.*, 44:484–489, 2001.
- [489] H. Liu, S. Farr-Jones, N. B. Ulyanov, M. Llinas, S. Marqusee, D. Groth, F. E. Cohen, S. B. Prusiner, and T. L. James. Solution structure of a syrian hamster prion protein rPrP(90–231). *Biochemistry*, 38:5362–5377, 1999.
- [490] H. Liu, Y. Zhang, and W. Yang. How is the active-site of enolase organized to achieve overall efficiency in catalyzing a two step reaction. *J. Amer. Chem. Soc.*, 122:6560–6570, 2000.
- [491] Q. Liu, L. Wang, A. G. Frutos, A. E. Condon, R. M. Corn, and L. M. Smith. DNA computing on surfaces. *Science*, 403:175–179, 2000.
- [492] O. Llorca, E. A. McCormack, G. Hynes, J. Grantham, J. Cordell, J. L. Carrascosa, K. R. Willison, J. J. Fernandez, and J. M. Valpuesta. Eukaryotic type II chaperonin CCT interacts with actin through specific subunits. *Nature*, 402:693–696, 1999.
- [493] R. J. Loncharich, B. R. Brooks, and R. W. Pastor. Langevin dynamics of peptides: The frictional dependence of isomerization rates of N-acetylalanine-N'-methylamide. *Biopolymers*, 32:523–535, 1992.

- [494] S. Louise-May, P. Auffinger, and E. Westhof. Calculations of nucleic acid conformations. *Curr. Opin. Struct. Biol.*, 6:289–298, 1996.
- [495] V. Lounnas, S. K. Lüdemann, and R. C. Wade. Towards molecular dynamics simulation of large proteins with a hydration shell at constant pressure. *Biophys. Chem.*, 78:157–182, 1999.
- [496] D.G. Luenberger. *Linear and Nolinear Programming*. Addison Wesley, Reading, Massachusetts, 1984.
- [497] K. Luger, A. W. Mäder, R. K. Richmond, D. F. Sargent, and T. J. Richmond. Crystal structure of the nucleosome core particle at 2.8 Å resolution. *Nature*, 389:251–260, 1997.
- [498] B. A. Luty, M. E. David, I. G. Tironi, and W. F. Van Gunsteren. A comparison of particle-particle particle-mesh and Ewald methods for calculating electrostatic interactions in periodic molecular systems. *Mol. Sim.*, 14:11–20, 1994.
- [499] B. A. Luty, I. G. Tironi, and W. F. Van Gunsteren. Lattice-sum methods for calculating electrostatic interactions in molecular simulations. *J. Chem. Phys.*, 103:3014–3021, 1995.
- [500] B. Ma and N. L. Allinger. Calculation of r_z structures from r_s structures. *J. Mol. Struct.*, 413–414:395–404, 1997.
- [501] B. Ma, J.-H. Lii, and N. L. Allinger. Molecular polarizabilities and induced dipole moments in molecular mechanics. *J. Comput. Chem.*, 21:813–825, 2000.
- [502] B. Ma, J.-H. Lii, K. Chen, and N. L. Allinger. A molecular mechanics study of the cholesteryl acetate crystal: Evaluation of interconversion among r_g , r_z , and r_α bond lengths. *J. Amer. Chem. Soc.*, 119:2570–2573, 1997.
- [503] B. Ma, J.-H. Lii, H. F. Schaefer, III, and N. L. Allinger. Systematic comparison of experimental, quantum mechanical, and molecular mechanical bond lengths for organic molecules. *J. Phys. Chem.*, 100:8763–8769, 1996.
- [504] M. W. MacArthur and J. M. Thornton. Deviations from planarity of the peptide bond in peptides and proteins. *J. Mol. Biol.*, 264:1180–1195, 1996.
- [505] D. MacDonald, K. Herbert, X. Zhang, T. Polgruto, and P. Lu. Solution structure of an A-tract DNA bend. *J. Mol. Biol.*, 306:1081–1098, 2001.
- [506] A. D. MacKerell, Jr., D. Bashford, M. Bellott, R. L. Dunbrack, Jr., J. Evanseck, M. J. Field, S. Fischer, J. Gao, H. Guo, S. Ha, D. Joseph, L. Kuchnir, K. Kuczera, F. T. K. Lau, C. Mattos, S. Michnick, T. Ngo, D. T. Nguyen, B. Prodhom, W. E. Reiher, III., B. Roux, M. Schlenkrich, J. Smith, R. Stote, J. Straub, M. Watanabe, J. Wiorcikiewicz-Kuczera, D. Yin, and M. Karplus. An all-atom empirical potential for molecular modeling and dynamics of proteins. *J. Phys. Chem. B*, 102:3586–3616, 1998.
- [507] A. D. MacKerell, Jr. and N. Foloppe. All-atom empirical force field for nucleic acids: I. Parameter optimization based on small molecule and condensed phased macromolecular target data. *J. Comput. Chem.*, 21:86–104, 2000.
- [508] A. D. MacKerell, Jr. and N. Foloppe. All-atom empirical force field for nucleic acids: II. Application to molecular dynamics simulations of DNA and RNA in solution. *J. Comput. Chem.*, 21:105–120, 2000.
- [509] A. D. MacKerell, Jr., J. Wiorcikiewicz-Kuczera, and M. Karplus. An all-atom empirical energy function for the simulation of nucleic acids. *J. Amer. Chem. Soc.*, 117:11946–11975, 1995.

- [510] R. MacKinnon, S. L. Cohen, A. Kuo, A. Lee, and B. T. Chait. Structural conservation in prokaryotic and eukaryotic potassium channel. *Science*, 280:106–109, 1998.
- [511] J. Maddox. Towards the calculation of DNA. *Nature*, 339:557, 1989.
- [512] J. D. Madura, M. E. Davis, M. K. Gilson, R. C. Wade, B. A. Luty, and J. A. McCammon. Biological applications of electrostatic calculations and Brownian dynamics simulations. In K. B. Lipkowitz and D. B. Boyd, editors, *Reviews in Computational Chemistry*, volume V, pages 229–267. VCH Publishers, New York, NY, 1994.
- [513] L. J. Maher, III. Mechanisms of DNA bending. *Curr. Opin. Struct. Biol.*, 2:688–694, 1998.
- [514] S. Makino, T. J. A. Ewing, and I. D. Kuntz. DREAM++: Flexible docking program for virtual combinatorial libraries. *J. Comput.-Aided Mol. Design*, 13:513–532, 1999.
- [515] Y. Mandel-Gutfreund, H. Margalit, R. L. Jernigan, and V. B. Zhurkin. A role for CH \cdots O interactions in protein-DNA recognition. *J. Mol. Biol.*, 277:1129–1140, 1998.
- [516] M. Mandziuk and T. Schlick. Resonance in the dynamics of chemical systems simulated by the implicit-midpoint scheme. *Chem. Phys. Lett.*, 237:525–535, 1995.
- [517] G. S. Manning. The molecular theory of polyelectrolyte solutions with applications to the electrostatic properties of polynucleotides. *Quart. Rev. Biophys.*, 179:181–246, 1978.
- [518] G. S. Manning, K. K. Ebraldise, A. D. Mirzabekov, and A. Rich. An estimate of the extent of folding of nucleosomal DNA by laterally asymmetric neutralization of phosphate groups. *J. Biomol. Struct. Dynam.*, 6:877–889, 1989.
- [519] G. S. Manning and J. Ray. Counterion condensation revisited. *J. Biomol. Struct. Dynam.*, 16:461–476, 1998.
- [520] C. Mao, T. LaBean, J. H. Reif, and N. C. Seeman. Logical computation using algorithmic self-assembly of DNA triple crossover molecules. *Nature*, 407:493–496, 2000.
- [521] J. R. Maple, M.-J. Hwang, T. P. Stockfisch, U. Dinur, M. Waldman, C. S. Ewing, and A. T. Hagler. Derivation of class II force fields. I. Methodology and quantum force field for the alkyl functional group and alkane molecules. *J. Comput. Chem.*, 15:162–182, 1994.
- [522] J. C. Marini, S. D. Levine, D. M. Crothers, and P. T. Englund. Bent helical structure in kinetoplast DNA. *Proc. Natl. Acad. Sci. USA*, 79:7664–7668, 1982.
- [523] J. F. Marko and E. D. Siggia. Fluctuations and supercoiling of DNA. *Science*, 265:506–508, 1994.
- [524] G. Marsaglia and L.-H. Tsay. Matrices and the structure of random number sequences. *Lin. Alg. Appl.*, 67:147–156, 1985.
- [525] J. Martin, T. Langer, R. Boteva, A. Schramel, A. L. Horwich, and F.-U. Hartl. Chaperonin-mediated protein folding at the surface of groEL through a ‘molten globule’-like intermediate. *Nature*, 352:36–42, 1991.
- [526] J. A. Martino, V. Katritch, and W. K. Olson. Influence of nucleosome structure on the three-dimensional folding of idealized minichromosomes. *Struc. Fold. Design*, 7:1009–1022, 1999.

- [527] G. J. Martyna, A. Hughes, and M. E. Tuckerman. Molecular dynamics algorithms for path integrals at constant pressure. *J. Chem. Phys.*, 110:3275–3290, 1999.
- [528] G. J. Martyna, M. E. Tuckerman, D. J. Tobias, and M. L. Klein. Explicit reversible integrators for extended systems dynamics. *Mol. Phys.*, 87:1117–1157, 1996.
- [529] M. Mascagni. Some methods of parallel pseudorandom number generation. In M. T. Heath, A. Ranade, and R. S. Schreiber, editors, *Algorithms for Parallel Processing*, volume 105 of *IMA Volumes in Mathematics and Its Applications*, pages 277–288. Springer-Verlag, New York, NY, 1999.
- [530] D. H. Mathews, J. Sabina, M. Zuker, and D. H. Turner. Expanded sequence dependence of thermodynamic parameters improves prediction of RNA secondary structure. *J. Mol. Biol.*, 288:911–940, 1999.
- [531] D. S. Maxwell, J. Tirado-Rives, and W. L. Jorgensen. A comprehensive study of the rotational energy profiles of organic systems by *ab initio* MO theory, forming a basis for peptide torsional potentials. *J. Comput. Chem.*, 16:984–1010, 1995.
- [532] K. M. Mazur. Accurate DNA dynamics without accurate long-range electrostatics. *J. Amer. Chem. Soc.*, 120:10928–10937, 1998.
- [533] J. A. McCammon, B. R. Gelin, and M. Karplus. Dynamics of folded proteins. *Nature*, 267:585–590, 1977.
- [534] J. A. McCammon and S. C. Harvey. *Dynamics of Proteins and Nucleic Acids*. Cambridge University Press, Cambridge, MA, 1987.
- [535] J. A. McCammon, B. M. Pettitt, and L. R. Scott. Ordinary differential equations of molecular dynamics. *Computers Math. Applic.*, 28:319–326, 1994.
- [536] J. J. McCarthy and R. Hilfiker. The use of single-nucleotide polymorphism maps in pharmacogenomics. *Nature Biotech.*, 18:505–508, 2000.
- [537] J. L. McCauley. *Chaos, Dynamics, and Fractals: an Algorithmic Approach to Deterministic Chaos*. Cambridge University Press, Cambridge, 1994.
- [538] L. McFail-Isom, C. C. Sines, and L. D. Williams. DNA structure: Cations in charge? *Curr. Opin. Struct. Biol.*, 9:298–304, 1999.
- [539] A. McPherson. Macromolecular crystals. *Sci. Amer.*, 260:62–69, 1989.
- [540] D. A. McQuarrie. *Statistical Mechanics*. Harper & Row, New York, NY, 1976. Chapters 20–21.
- [541] E. L. Mehler. The Lorentz-Debye-Sack theory and dielectric screening of electrostatic effects in proteins and nucleic acids. In J. S. Murray and K. Sen, editors, *Molecular Electrostatic Potential: Concepts and Applications*, volume 3 of *Theoretical and Computational Chemistry*, chapter 9, pages 371–405. Elsevier Science, Amsterdam, 1996.
- [542] E. L. Mehler and F. Guarnieri. A self-consistent, microenvironment modulated screened Coulomb potential approximation to calculate pH-dependent electrostatic effects in proteins. *Biophys. J.*, 77:3–22, 1999.
- [543] N. Metropolis, A. W. Rosenbluth, M. N. Rosenbluth, A. H. Teller, and E. Teller. Equation of state calculations by fast computing machines. *J. Chem. Phys.*, 21:1087–1092, 1953.
- [544] M. Mezei. Optimal position of the solute for simulations. *J. Comput. Chem.*, 18:812–815, 1997.

- [545] L. Mirny and E. Shakhnovich. Protein folding theory: From lattice to all-atom models. *Ann. Rev. Biophys. Biomol. Struct.*, 30:361–396, 2001.
- [546] A. D. Mirzabekov and A. Rich. Asymmetric lateral distribution of unshielded phosphate groups in nucleosomal DNA and its role in DNA bending. *Proc. Natl. Acad. Sci. USA*, 76:1118–1121, 1979.
- [547] B. Mishra and T. Schlick. The notion of error in Langevin dynamics: 1. Linear analysis. *J. Chem. Phys.*, 105:299–318, 1996.
- [548] P. R. E. Mittl and M. G. Grütter. Structural genomics: Opportunities and challenges. *Curr. Opin. Chem. Biol.*, 5:402–408, 2001.
- [549] S. Miyamoto and P. A. Kollman. SETTLE: An analytical version of the SHAKE and RATTLE algorithm for rigid water models. *J. Comput. Chem.*, 13:952–962, 1992.
- [550] K. Moffat. Time-resolved biochemical crystallography: A mechanistic perspective. *Chem. Rev.*, 101:1569–1581, 2001.
- [551] Molconn-X version 2.0, 1995. Hall Associates Consulting, Quincy, MD.
- [552] Molconn-Z version 3.1, 1998. Hall Associates Consulting, Quincy, MD.
- [553] F. A. Momany, R. F. McGuire, A. W. Burgess, and H. A. Scheraga. Energy parameters in polypeptides. VII. Geometric parameters partial atomic charges, nonbonded interactions, hydrogen bond interactions, and intrinsic torsional potentials for the naturally occurring amino acids. *J. Phys. Chem.*, 79:2361–2381, 1975.
- [554] G. T. Montelione and S. Anderson. Structural genomics: Keystone for a human proteome project. *Nature Struct. Biol.*, 6:11–12, 1999.
- [555] P. B. Moore. Structural motifs in RNA. *Ann. Rev. Biochem.*, 68:287–300, 1999.
- [556] J. H. Morais-Cabral, Y. Zhou, and R. MacKinnon. Energetic optimization of ion conduction rate by the K^+ selectivity filter. *Nature*, 414:37–42, 2001.
- [557] J. L. Morales and J. Nocedal. Automatic preconditioning by limited memory quasi-Newton updating. *SIAM J. Opt.*, 10:1079–1096, 2000. (also Technical Report 97/07, Optimization Technology Center, Northwestern University, 1997).
- [558] J. J. Moré and S. J. Wright. *Optimization Software Guide*, volume 14 of *Frontiers in Applied Mathematics*. SIAM, Philadelphia, PA, 1993. See www.mcs.anl.gov/otc/Guide/ and www.mcs.anl.gov/otc/Guide/SoftwareGuide/ for updated information on the software guide.
- [559] R. T. Morrison and R. N. Boyd. *Organic Chemistry*. Allyn and Bacon, Inc., Newton, MA, fourth edition, 1983.
- [560] P. M. Morse. Diatomic molecules according to the wave mechanics. II. Vibrational levels. *Phys. Rev.*, 34:57–64, 1929.
- [561] D. W. Mount. *Bioinformatics. Sequence and Genome Analysis*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 2001.
- [562] K. B. Mullis. *Dancing Naked in the Mind Field*. Pantheon Books, New York, NY, 1998.
- [563] J. B. Murray, D. P. Terwey, L. Maloney, A. Karpeisky, N. Usman, L. Beigelman, and W. G. Scott. The structural basis for hammerhead ribozyme self-cleavage. *Cell*, 92:665–673, 1998.
- [564] A. G. Murzin, S. E. Brenner, T. Hubbard, and C. Chothia. Scop: A structural classification of proteins database for the investigation of sequences and structures. *J. Mol. Biol.*, 247:536–540, 1995.

- [565] S. G. Nash and J. Nocedal. A numerical study of the limited memory BFGS method and the truncated-Newton method for large-scale optimization. *SIAM J. Opt.*, 1:358–372, 1991.
- [566] X. Nassif. A furtive pathogen revealed. *Science*, 287:1767–1768, 2000.
- [567] S. Neidle. *DNA Structure and Recognition*. Oxford University Press, Oxford, England, 1994.
- [568] S. Neidle. New insights into sequence-dependent DNA structure. *Nature Struct. Biol.*, 5:754–756, 1998.
- [569] S. Neidle, editor. *Oxford Handbook of Nucleic Acid Structure*. Oxford University Press, Oxford, England, 1999.
- [570] H. C. Nelson, J. T. Finch, B. F. Luisi, and A. Klug. The structure of an oligo(dA) · oligo(dT) tract and its biological implications. *Nature*, 330:221–226, 1987.
- [571] G. Némethy, M. S. Pottle, and H. A. Scheraga. Energy parameters in polypeptides. 9. Updating of geometrical parameters, nonbonded interactions, and hydrogen bond interactions for the naturally occurring amino acids. *J. Phys. Chem.*, 87:1883–1887, 1983.
- [572] N. Nevins, J.-H. Lii, and N. L. Allinger. Molecular mechanics (MM4) calculations on conjugated hydrocarbons. *J. Comput. Chem.*, 17:695–729, 1996.
- [573] A. Nicholls and B. Honig. A rapid finite difference algorithm, utilizing successive over-relaxation to solve the Poisson-Boltzmann equation. *J. Comput. Chem.*, 12:435–445, 1991.
- [574] P. E. Nielsen. DNA analogues with nonphosphodiester backbones. *Ann. Rev. Biophys. Biomol. Struct.*, 24:167–183, 1995.
- [575] P. E. Nielsen, M. Egholm, R. H. Berg, and O. Buchardt. Sequence-selective recognition of DNA by strand displacement with a thymine-substituted polyamide. *Science*, 254:1497–1500, 1991.
- [576] L. Nilsson and M. Karplus. Empirical energy functions for energy minimization and dynamics of nucleic acids. *J. Comput. Chem.*, 7:591–616, 1986.
- [577] P. Nissen, J. Hansen, N. Ban, P. B. Moore, and T. A. Steitz. The structural basis of ribosome activity in peptide bond synthesis. *Science*, 289:920–930, 2000.
- [578] P. Nissen, J. A. Ippolito, N. Ban, P. B. Moore, and T. A. Steitz. RNA tertiary interactions in the large ribosomal subunit: The A-minor motif. *Proc. Natl. Acad. Sci. USA*, 98:4899–4903, 2001.
- [579] K. T. No, S. G. Kim, K.-H. Cho, and H. A. Scheraga. Description of hydration free energy density as a function of molecular physical properties. *Biophys. Chem.*, 78:127–145, 1999.
- [580] J. Nocedal. Updating quasi-Newton matrices with limited storage. *Mathematics of Computation*, 35:773–782, 1980.
- [581] J. Nocedal. Theory of algorithms for unconstrained optimization. *Acta Numerica*, 1:199–242, 1992.
- [582] J. Nocedal. Large-scale unconstrained optimization. In A. Watson and I. Duff, editors, *The State of the Art in Numerical Analysis*, pages 311–338. Oxford University Press, 1997.

- [583] J. Nocedal, A. Sartenaer, and C. Zhu. On the behavior of the gradient norm in the steepest descent method. Technical report, CERFACS, Toulouse, France (May 2000), 2000.
- [584] J. Nocedal and S. Wright. *Numerical Optimization*. Springer Verlag, New York, NY, 1999.
- [585] J. Norberg and L. Nilsson. On the truncation of long-range electrostatic interactions in DNA. *Biophys. J.*, 79:1537–1553, 2000.
- [586] S. Normark. Anfinnsen comes out of the cage during assembly of the bacterial pilus. *Proc. Natl. Acad. Sci. USA*, 97:7670–7672, 2000.
- [587] S. Nosé. A molecular dynamics method for simulations in the canonical ensemble. *Mol. Phys.*, 52:255–268, 1984.
- [588] S. Nosé. Constant temperature molecular dynamics methods. *Prog. Theor. Phys. Suppl.*, 103:1–46, 1991.
- [589] A. Nyberg and T. Schlick. Increasing the time step in molecular dynamics. *Chem. Phys. Lett.*, 198:538–546, 1992.
- [590] R. E. Odeh and J. O. Evans. The percentage points of the normal distribution. *App. Stat.*, 23:96–97, 1974.
- [591] M. Ogihara and A. Ray. DNA computing on a chip. *Science*, 403:143–144, 2000.
- [592] K. Okada and S. Okada. X-ray crystallographic analysis and semiempirical computations. In P. von Ragué Schleyer (Editor-in Chief), N. L. Allinger, T. Clark, J. Gasteiger, P. A. Kollman, and H. F. Schaefer, III, editors, *Encyclopedia of Computational Chemistry*, volume 5, pages 3223–3247. John Wiley & Sons, West Sussex, UK, 1998.
- [593] R. Olender and R. Elber. Calculation of classical trajectories with a very large time step: Formalism and numerical examples. *J. Chem. Phys.*, 105:9299–9315, 1996.
- [594] S. Oliver. Proteomics: Guilt-by-association goes global. *Nature*, 403:601–602, 2000.
- [595] W. K. Olson. How flexible is the furanose ring? 2. an updated potential energy estimate. *J. Amer. Chem. Soc.*, 104:278–286, 1982.
- [596] W. K. Olson. Theoretical studies of nucleic acid conformation: Potential energies, chain statistics, and model building. In S. Neidle, editor, *Topics in Nucleic Acid Structures: Part 2*, pages 1–79. Macmillan Press, London, England, 1982.
- [597] W. K. Olson. Simulating DNA at low resolution. *Curr. Opin. Struct. Biol.*, 6:242–256, 1996.
- [598] W. K. Olson, M. S. Babcock, A. Gorin, G.-H. Liu, N. L. Markey, J. A. Martino, S. C. Pedersen, A. R. Srinivasan, I. Tobias, T. P. Westcott, and P. Zhang. Flexing and folding of double helical DNA. *Biol. Chem.*, 55:7–29, 1995.
- [599] W. K. Olson, S. K. Burley, R. E. Dickerson, M. Gerstein, S. C. Harvey, U. Heinemann, X.-J. Lu, S. Neidle, Z. Shakked, M. Suzuki, X.-S. Tung, H. Sklenar, J. Westbrook, E. Westhof, C. Wolberger, and H. Berman. A standard reference frame for the description of nucleic acid base-pair geometry. *J. Mol. Biol.*, 313:229–237, 2001. Available also through posting on NDB Archives, ndb-server.rutgers.edu/NDB/archives/index.html and www.idealibrary.com/links/doi/10.1006/jmbi.2001.4987/.

- [600] W. K. Olson, A. A. Gorin, X J. Lu, L. M. Hock, and V. B. Zhurkin. DNA sequence-dependent deformability deduced from protein-DNA crystal complexes. *Proc. Natl. Acad. Sci. USA*, 95:11163–11168, 1998.
- [601] W. K. Olson, N. L. Markey, R. L. Jernigan, and V. B. Zhurkin. Influence of fluctuations on DNA curvature. A comparison of flexible and static wedge models of intrinsically bent DNA. *J. Mol. Biol.*, 232:530–554, 1993.
- [602] W. K. Olson and J. L. Sussman. How flexible is the furanose ring? 1. A comparison of experimental and theoretical studies. *J. Amer. Chem. Soc.*, 104:270–278, 1982.
- [603] W. K. Olson, T. P. Westcott, J. A. Martino, and G.-H. Liu. Computational studies of spatially constrained DNA chains. In J. P. Mesirov, K. Schulten, and D. W. Sumners, editors, *Mathematical Approaches to Biomolecular Structure and Dynamics*, volume 82 of *IMA Volumes in Mathematics and Its applications*, New York, NY, 1996. Springer-Verlag.
- [604] W. K. Olson and V. B. Zhurkin. Twenty years of DNA bending. In R. H. Sarma and M. H. Sarma, editors, *Biological Structure and Dynamics: Proceedings of the Ninth Conversation in the Discipline Biomolecular Stereodynamics*, pages 341–370, Schenectady, NY, 1996. Adenine Press.
- [605] W. K. Olson and V. B. Zhurkin. Modeling DNA deformations. *Curr. Opin. Struct. Biol.*, 10:286–297, 2000.
- [606] J. N. Onuchic. Contacting the protein folding funnel with NMR. *Proc. Natl. Acad. Sci. USA*, 94:7129–7131, 1997.
- [607] P. Ordejón, D. A. Drabold, R. M. Martin, and M. P. Grumbach. Linear system-size scaling methods for electronic structure calculations. *Phys. Rev. B*, 51:1456–1476, 1995.
- [608] C. A. Orengo, A. E. Todd, and J. M. Thornton. From protein structure to function. *Curr. Opin. Struct. Biol.*, 9:374–382, 1999.
- [609] E. V. Orlova, M. A. Rahman, B. Gowen, K. E. Volynski, A. C. Ashton, C. Manser, M. van Heel, and Y. A. Ushkaryov. Structure of α -latrotoxin oligomers reveals that divalent cation-dependent tetramers form membrane pores. *Nat. Struct. Biol.*, 7:48–53, 2000.
- [610] M. L. Overton, editor. *Numerical Computing with IEEE Floating Point Arithmetic*. SIAM, Philadelphia, PA, 2001.
- [611] E. Paci and M. Karplus. Unfolding proteins by external forces and temperature: The importance of topology and energetics. *Proc. Natl. Acad. Sci. USA*, 97:6521–6526, 2000.
- [612] R. V. Pappu. Review of the fourth Johns Hopkins protein folding meeting. *Proteins: Struct. Func. Gen.*, 36:263–269, 1999.
- [613] P. M. Pardalos, D. Shalloway, and G. Xue, editors. *Global Minimization of Nonconvex Energy Functions: Molecular Conformation and Protein Folding*, volume 23 of *DIMACS Series in Discrete Mathematics and Theoretical Computer Science*. American Mathematical Society, Providence, Rhode Island, 1996.
- [614] J. Park, S. A. Teichmann, T. Hubbard, and C. Chothia. Intermediate sequences increase the detection of homology between sequences. *J. Mol. Biol.*, 273:349–354, 1997.
- [615] S. C. Park and K. W. Miller. Random number generators: Good ones are hard to find. *Comm. ACM*, 31:1192–1201, 1988.

- [616] R. G. Parr and W. Yang. Density-functional theory of the electronic structure of molecules. *Ann. Rev. Phys. Chem.*, 46:701–728, 1995.
- [617] M. Parrinello and A. Rahman. Crystal structure and pair potentials: A molecular-dynamics study. *Phys. Rev. Lett.*, 45:1196–1199, 1980.
- [618] R. W. Pastor. Techniques and applications of Langevin dynamics simulations. In G. R. Luckhurst and C. A. Veracini, editors, *The Molecular Dynamics of Liquid Crystals*, pages 85–138. Kluwer Academic, Dordrecht, The Netherlands, 1994.
- [619] R. W. Pastor, B. R. Brooks, and A. Szabo. An analysis of the accuracy of Langevin and molecular dynamics algorithms. *Mol. Phys.*, 65:1409–1419, 1988.
- [620] D. J. Patel, B. Mao, Z. Gu, B. E. Hingerty, A. Gorin, A. K. Basu, and S. Broyde. Nuclear magnetic resonance solution structures of covalent aromatic amine-DNA adducts and their magnetic relevance. *Chem. Res. Toxic.*, 11:391–407, 1998.
- [621] G. A. Patikoglou, J. L. Kim, L. Sun, S.-H. Yang, T. Kodadek, and S. K. Burley. TATA element recognition by the TATA box-binding protein has been conserved throughout evolution. *Genes & Devt.*, 13:3217–3230, 1999.
- [622] L. Pauling. *The Nature of the Chemical Bond*. third edition, Cornell University Press, New York, NY, 1960.
- [623] L. Pauling and R. B. Corey. Configurations of polypeptide chains with favored orientations around single bonds: Two new pleated sheets. *Proc. Natl. Acad. Sci. USA*, 37:729–740, 1951.
- [624] L. Pauling and R. B. Corey. A proposed structure for nucleic acids. *Proc. Natl. Acad. Sci. USA*, 39:84–97, 1953.
- [625] L. Pauling, R. B. Corey, and H. R. Branson. The structure of proteins: Two hydrogen-bonded helical configurations of the polypeptide chain. *Proc. Natl. Acad. Sci. USA*, 37:205–211, 1951.
- [626] L. Pauling, H. A. Itano, S. J. Singer, and I. C. Wells. Sickle cell anemia, a molecular disease. *Science*, 110:543–548, 1949.
- [627] L. Pauling and E. B. Wilson, Jr. *Introduction to Quantum Mechanics with Applications to Chemistry*. Dover, New York, NY, 1985.
- [628] K. Pawlowski, A. Bierzyński, and A. Godzik. Structural diversity in a family of homologous proteins. *J. Mol. Biol.*, 258:349–366, 1996.
- [629] D. A. Pearlman and S. H. Kim. Determinations of atomic partial charges for nucleic acid constituents from x-ray diffraction data. I. 2'-deoxycytidine-5'-monophosphate. *Biopolymers*, 24:327–357, 1985.
- [630] N. D. Pearson and C. D. Prescott. RNA as a drug target. *Chem. & Biol.*, 4:409–414, 1997.
- [631] O. E. Percus and M. H. Kalos. Random number generators for MIMD parallel processors. *J. Paral. Dist. Comput.*, 6:477–497, 1989.
- [632] O. E. Percus and J. K. Percus. Intrinsic relations in the structure of linear congruential generators modulo 2^β . *Stat. Prob. Lett.*, 15:381–383, 1992.
- [633] T. T. Perkins, S. R. Quake, D. E. Smith, and S. Chu. Relaxation of a single DNA molecule observed by optical microscopy. *Science*, 264:822–825, 1994.
- [634] J. W. Perram, H. G. Petersen, and S. W. De Leeuw. An algorithm for the simulation of condensed matter which grows as the $\frac{3}{2}$ power of the number of particles. *Mol. Phys.*, 65:875–893, 1988.

- [635] C. S. Peskin and T. Schlick. Molecular dynamics by the backward Euler's method. *Comm. Pure App. Math.*, 42:1001–1031, 1989.
- [636] G. A. Petsko and D. Ringe. Observation of unstable species in enzyme-catalyzed transformations using protein crystallography. *Curr. Opin. Chem. Biol.*, 4:89–94, 2000.
- [637] A. T. Phan, J.-L. Leroy, and M. Guéron. Determination of the residence time of water molecules hydrating *B'*-DNA and *B*-DNA, by one-dimensional zero-enhancement nuclear Overhauser effect spectroscopy. *J. Mol. Biol.*, 286:505–519, 1999.
- [638] D. S. Pilch, G. E. Plum, and K. J. Breslauer. The thermodynamics of DNA structures which contain lesions or guanine tetrads. *Curr. Opin. Struct. Biol.*, 5:334–342, 1995.
- [639] O. Pillai, A. B. Dhanikula, and R. Panchagnula. Drug delivery: An odyssey of 100 years. *Curr. Opin. Chem. Biol.*, 5:439–446, 2001.
- [640] J. Pillardy, C. Czaplewski, A. Liwo, J. Lee, D. R. Ripoll, R. Kaźmierkiewicz, S. Oldziej, W. J. Wedemeyer, K. D. Gibson, Y. A. Arnautova, J. Saunders, Y.-J. Ye, and H. A. Scheraga. Recent improvements in prediction of protein structure by global optimization of a potential energy function. *Proc. Natl. Acad. Sci. USA*, 98:2329–2333, 2001.
- [641] T. Pinou, T. Schlick, B. Li, and H. G. Dowling. Addition of Darwin's third dimension to phyletic trees. *J. Theor. Biol.*, 182:505–512, 1996.
- [642] R. M. Pitzer. The barrier to internal rotation in ethane. *Acc. Chem. Res.*, 16:207–210, 1983.
- [643] M. Pizza, V. Scarlato, V. Masignani, M. M. Giuliani, B. Aricó, M. Comanducci, G. T. Jennings, L. Baldi, E. Bartolini, B. Capecchi, C. L. Galeotti, E. Luzzi, R. Manetti, E. Marchetti, M. Mora, S. Nuti, G. Ratti, L. Santini, S. Savino, M. Scarselli, E. Storni, P. Zuo, M. Broecker, E. Hundt, B. Knapp, E. Blair, T. Mason, H. Tettelin, D. W. Hood, A. C. Jeffries, N. J. Saunders, D. M. Granoff, J. C. Venter, E. R. Moxon, G. Grandi, and R. Rappuoli. Identification of vaccine candidates against serogroup B meningococcus by whole-genome sequencing. *Science*, 287:1816–1820, 2000.
- [644] H. W. Pley, K. M. Flaherty, and D. B. McKay. Three-dimensional structure of a hammerhead ribozyme. *Nature*, 372:68–74, 1994.
- [645] M. J. Plotkin. *Medicine Quest: In Search of Nature's Healing Secrets*. Viking Penguin, New York, NY, 2000.
- [646] G. E. Plum and K. J. Breslauer. Calorimetry of proteins and nucleic acids. *Curr. Opin. Struct. Biol.*, 5:682–690, 1995.
- [647] G. E. Plum, D. S. Pilch, S. F. Singleton, and K. J. Breslauer. Nucleic acid hybridization: Triplex stability and energetics. *Ann. Rev. Biophys. Biomol. Struct.*, 24:319–350, 1995.
- [648] V. Pophristic and L. Goodman. Hyperconjugation not steric repulsion leads to the staggered structure of ethane. *Nature*, 411:565–568, 2001.
- [649] J. A. Pople. Quantum chemical models (Nobel lecture). *Angew. Chem. Int. Ed.*, 38:1894–1902, 1999.
- [650] M. J. D. Powell. Restart procedures for the conjugate gradient method. *Math. Prog.*, 12:241–254, 1977.

- [651] M. Prabhakaran, S. C. Harvey, B. Mao, and J. A. McCammon. Molecular dynamics of phenylalanine transfer RNA. *J. Biomol. Struct. Dynam.*, 1:357–369, 1983.
- [652] N. V. Prabhu, J. S. Perkyns, H. D. Blatt, P. E. Smith, and B. M. Pettitt. Comparison of the potentials of mean force for alanine tetrapeptide between integral equation theory and simulation. *Biophys. Chem.*, 78:113–126, 1999.
- [653] W. H. Press, S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery. *Numerical Recipes in Fortran 77: The Art of Scientific Computing*, volume 1 of *Fortran Numerical Recipes*. Cambridge University Press, New York, NY, second edition, 1992.
- [654] M. A. Price and T. D. Tullius. How the structure of an adenine tract depends on sequence context: A new model for the structure of T_nA_n DNA sequences. *Biochemistry*, 32:127–136, 1993.
- [655] L. J. Prins, D. N. Reinhoudt, and P. Timmerman. Nonvalent synthesis using hydrogen bonding. *Angew. Chem. Int. Ed.*, 40:2382–2426, 2001.
- [656] P. Procacci, M. Marchi, and G. J. Martyna. Electrostatic calculations and multiple time scales in molecular dynamics simulation of flexible molecular systems. *J. Chem. Phys.*, 108:8799–8803, 1998.
- [657] D. Pruss, B. Bartholomew, J. Persinger, J. Hayes, G. Arents E. N. Moudrianakis, and A. P. Wolffe. An asymmetric model for the nucleosome: A binding site for linker histones inside the DNA gyres. *Science*, 274:614–617, 1996.
- [658] M. Ptashne. How gene activators work. *Sci. Amer.*, 260:41–47, 1989.
- [659] A. M. Pyle and J. B. Green. RNA folding. *Curr. Opin. Struct. Biol.*, 5:303–310, 1995.
- [660] H. Qian and J. A. Schellman. Transformed Poisson-Boltzmann relations and ionic distributions. *J. Phys. Chem. B*, 104:11528–11540, 2000.
- [661] X. Qian and T. Schlick. Efficient multiple-timestep integrators with distance-based force splitting for particle-mesh-Ewald molecular dynamics simulations. *J. Chem. Phys.*, 2001. Submitted.
- [662] X. Qian, D. Strahs, and T. Schlick. Dynamic simulations of 13 TATA variants refine kinetic hypotheses of sequence/activity relationships. *J. Mol. Biol.*, 308:681–703, 2001.
- [663] X. Qian, D. Strahs, and T. Schlick. A new program for optimizing periodic boundary models of solvated biomolecules (PBCAID). *J. Comput. Chem.*, 22:1843–1850, 2001.
- [664] A. Rahman and F. H. Stillinger. Molecular dynamics study of liquid water. *J. Chem. Phys.*, 55:3336–3359, 1971.
- [665] A. Rahman and F. H. Stillinger. Improved simulation of liquid water by molecular dynamics. *J. Chem. Phys.*, 60:1545–1557, 1974.
- [666] G. Ramachandran and T. Schlick. Solvent effects on supercoiled DNA dynamics explored by Langevin dynamics simulations. *Phys. Rev. E*, 51:6188–6203, 1995.
- [667] G. Ramachandran and T. Schlick. Beyond optimization: Simulating the dynamics of supercoiled DNA by a macroscopic model. In P. M. Pardalos, D. Shalloway, and G. Xue, editors, *Global Minimization of Nonconvex Energy Functions: Molecular*

- Conformation and Protein Folding*, volume 23 of *DIMACS Series in Discrete Mathematics and Theoretical Computer Science*, pages 215–231, Providence, Rhode Island, 1996. American Mathematical Society.
- [668] D.C. Rapaport. *The Art of Molecular Dynamics Simulation*. Cambridge University Press, Cambridge, England, 1995.
- [669] J. Ray and G. S. Manning. Counterion and coion distribution functions in the counterion condensation theory of polyelectrolytes. *Macromolecules*, 32:4588–4595, 1999.
- [670] R. J. Read and D. E. Wemmer. Biophysical methods. Bigger, better, faster and automatically too? (Editorial overview). *Curr. Opin. Struct. Biol.*, 9:591–593, 1999.
- [671] P. R. Reilly. *Abraham Lincoln's DNA and Other Adventures in Genetics*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 2000.
- [672] J. Ren, R. M. Esnouf, A. L. Hopkins, E. Y. Jones, I. Kirby, J. Keeling, C. K. Ross, B. A. Larder, D. I. Stuart, and D. K. Stammers. 3'-Azido-3'-deoxythymidine drug resistance mutations in HIV-1 reverse transcriptase can induce long range conformational changes resistance. *Proc. Natl. Acad. Sci. USA*, 95:9518–9523, 1998.
- [673] F. J. Resende and B. V. Costa. Using random number generators in Monte Carlo simulations. *Phys. Rev. E*, 58:5183–5184, 1998.
- [674] G. Rhodes. *Crystallography Made Crystal Clear: A Guide for Users of Macromolecular Models*. Academic Press, San Diego, CA, second edition, 2000.
- [675] S. A. Rice, M. Nagasawa, and H. Morawetz. *Polyelectrolyte Solutions: A Theoretical Introduction*, volume 2 of *Molecular Biology: An International Series of Monographs and Textbooks*. Academic Press, New York, NY, 1961.
- [676] A. Rich. The rise of single-molecule DNA chemistry. *Proc. Natl. Acad. Sci. USA*, 95:13999–14000, 1998.
- [677] J. B. Ristaino, C. T. Groves, and G. R. Parra. PCR amplification of the Irish potato famine pathogen from historic specimens. *Nature*, 411:695–697, 2001.
- [678] N. A. Roberts, J. A. Martin, D. Kinchington, A. V. Broadhurst, J. C. Craig, I. B. Duncan, S. A. Galpin, B. K. Handa, J. Kay, A. Kröhn, R. W. Lambert, J. H. Merrett, J. S. Mills, K. E. B. Parkes, S. Redshaw, A. J. Ritchie, D. L. Taylor, G. J. Thomas, and P. J. Machin. Rational design of peptide-based HIV proteinase inhibitors. *Science*, 248:358–361, 1990.
- [679] R. A. Robinson and R. H. Stokes. *Electrolyte Solutions: The Measurement and Interpretation of Conductance, Chemical Potential and Diffusion in Solutions of Simple Electrolytes*. Butterworth & Co., London, England, second edition, 1965.
- [680] W. Rocchia, E. Alexov, and B. Honig. Extending the applicability of the nonlinear Poisson-Boltzmann equation: Multiple dielectric constants and multivalent ions. *J. Phys. Chem. B*, 105:6507–6514, 2001.
- [681] M. C. Roco, R. S. Williams, and P. Alivisatos, editors. *Nanotechnology Research Directions: IWGN (Interagency Working Group on Nanoscience, Engineering and Technology) Workshop Report. Vision for Nanotechnology Research and Development in the Next Decade*, Loyola College, Maryland, 1999. International Technology Research Institute, World Technology (WTEC) Division, Loyola College. URL: itri.loyola.edu/nano/IWGN.Research.Directions/; Also published in hard copy by Kluwer Academic Press, February 2000.

- [682] A. D. Rodrigues and J. H. Lin. Screening of drug candidates for their drug–drug interaction potential. *Curr. Opin. Chem. Biol.*, 5:396–401, 2001.
- [683] V. Rokhlin. Rapid solution of integral equations of classical potential theory. *J. Comput. Phys.*, 60:187–207, 1985.
- [684] G. Rose. Protein folding and the Paracelsus challenge. *Nature Struct. Biol.*, 4:512–514, 1997.
- [685] S. M. Ross. *A Course in Simulation*. Macmillan Publishing Company, New York, NY, 1990.
- [686] I. K. Roterman, M. H. Lambert, K. D. Gibson, and H. A. Scheraga. A comparison of the CHARMM, AMBER and ECEPP potentials for peptides. I. Conformational predictions for the tandemly repeated peptide (Asn-Ala-Asn-Pro)₉. *J. Biomol. Struct. Dyn.*, 7:391–419, 1989.
- [687] I. K. Roterman, M. H. Lambert, K. D. Gibson, and H. A. Scheraga. A comparison of the CHARMM, AMBER and ECEPP potentials for peptides. II. ϕ – ψ maps for N-methyl amide: Comparisons, contrasts and simple experimental tests. *J. Biomol. Struct. Dyn.*, 7:421–453, 1989.
- [688] E. Rothstein. DNA teaches history a few lessons of its own. *New York Times*, 1998. Sunday, May 24 (under Ideas & Trends of the Week in Review).
- [689] J. Rotne and S. Prager. Variational treatment of hydrodynamic interaction in polymers. *J. Chem. Phys.*, 50:4831–4837, 1969.
- [690] P. E. Rouse, Jr. Dilute solutions of coiling polymers. *J. Chem. Phys.*, 21:1272–1280, 1953.
- [691] B. Roux and T. Simonson. Implicit solvent models. *Biophys. Chem.*, 78:1–20, 1999.
- [692] H. Rozenberg, D. Rabinovich, F. Frolow, R. S. Hegde, and Z. Shakked. Structural code for DNA recognition revealed in crystal structures of papillomavirus E2-DNA targets. *Proc. Natl. Acad. Sci. USA*, 95:15194–15199, 1998.
- [693] D. Rugar and P. Hansma. Atomic force microscope. *Physics Today*, 43:23–30, 1990.
- [694] R. D. Ruth. A canonical integration technique. *IEEE Trans. Nucl. Sci.*, 30:2669–2671, 1983.
- [695] J. P. Ryckaert, G. Ciccotti, and H. J. C. Berendsen. Numerical integration of the Cartesian equations of motion of a system with constraints: Molecular dynamics of n-alkanes. *J. Comput. Phys.*, 23:327–341, 1977.
- [696] W. Saenger. *Principles of Nucleic Acid Structure*. Springer Advanced Texts in Chemistry. Springer-Verlag, New York, NY, 1984.
- [697] C. Sagui and T. A. Darden. Molecular dynamics simulations of biomolecules: Long-range electrostatic effects. *Ann. Rev. Biophys. Biomol. Struct.*, 28:155–179, 1999.
- [698] K. Sakamoto, H. Gouzu, K. Komiya, D. Kiga, S. Yokoyama, T. Yokomori, and M. Hagiya. Molecular computation by DNA hairpin formation. *Science*, 288:1223–1226, 2000.
- [699] A. Sali. Target practice. *Nat. Struct. Biol.*, 8:482–484, 2001.
- [700] F. A. Samatey, K. Imada, S. Nagashima, F. Vonderviszt, T. Kumasaka, M. Yamamoto, and K. Namba. Structure of the bacterial flagellar protofilament and implications for a switch for supercoiling. *Nature*, 410:331–337, 2001.
- [701] R. Sánchez and A. Šali. Advances in comparative protein-structure modelling. *Curr. Opin. Struct. Biol.*, 7:206–214, 1997.

- [702] R. Sánchez and A. Šali. Large-scale protein structure modeling of the *saccharomyces cerevisiae* genome. *Proc. Natl. Acad. Sci. USA*, 95:13597–13602, 1998.
- [703] B. Sandak. Multiscale fast summation of long-range charge and dipolar interactions. *J. Comput. Chem.*, 22:717–731, 2001.
- [704] A. Sandu and T. Schlick. Masking resonance artifacts in force splitting methods for biomolecular simulations by extrapolative Langevin dynamics. *J. Comput. Phys.*, 151:74–113, May 1999. (Special Volume on Computational Biophysics).
- [705] J. M. Sanz-Serna and M. P. Calvo. *Numerical Hamiltonian Problems*. Chapman & Hall, London, England, 1994.
- [706] R. Sarma. *Ramachandran: A Biography of Gopalamudram Narayana Ramachandran, the Famous Indian Biophysicist*. Adenine Press, Schenectady, NY, 1998.
- [707] M. R. Sawaya, R. Prasad, S. H. Wilson, J. Kraut, and H. Pelletier. Crystal structures of human DNA polymerase β complexed with gapped and nicked DNA: Evidence for induced fit mechanism. *Biochemistry*, 36:11205–11215, 1997.
- [708] H. F. Schaefer. Methylene: A paradigm for computational quantum chemistry. *Science*, 231:1100–1107, 1986.
- [709] J. M. Schafer, E.-S. Lee, R. C. Dardes, D. Bentrem, R. M. O’Regan, A. De Los Reyes, and V. C. Jordan. Analysis of cross-resistance of the selective estrogen receptor modulators arzoxifene (LY353381) and LY117018 in tamoxifen-stimulated breast cancer xenografts. *Clin. Cancer Res.*, 7:2505–2512, 2001.
- [710] J. A. Schellman. Flexibility of DNA. *Biopolymers*, 13:217–226, 1974.
- [711] J. A. Schellman. The flexibility of DNA. I. Thermal fluctuations. *Biophys. Chem.*, 11:321–328, 1980.
- [712] J. A. Schellman and S. C. Harvey. Static contributions to the persistence length of DNA and dynamic contributions to DNA curvature. *Biophys. Chem.*, 55:95–114, 1995.
- [713] J. A. Schellman and C. Schellman. The conformation of polypeptide chains in proteins. In H. Neurath, editor, *The Proteins*, volume 2, pages 1–137. Academic Press, New York, NY, second edition, 1964.
- [714] C. A. Schiffer, J. W. Caldwell, P. A. Kollman, and R. M. Stroud. Protein structure prediction with a combined solvation free energy-molecular mechanics force field. *Mol. Sim.*, 10:121–149, 1993.
- [715] J. F. Schildbach, A. W. Karzai, B. E. Raumann, and R. T. Sauer. Origins of DNA-binding specificity: Role of protein contacts with the DNA backbone. *Proc. Natl. Acad. Sci. USA*, 96:811–817, 1999.
- [716] T. Schlick. *Modeling and Minimization Techniques for Predicting Three-Dimensional Structures of Large Biological Molecules*. PhD thesis, New York University, Courant Institute of Mathematical Sciences, New York, NY, October 1987.
- [717] T. Schlick. A modular strategy for generating starting conformations and data structures of polynucleotide helices for potential energy calculations. *J. Comput. Chem.*, 9(8):861–889, 1988.
- [718] T. Schlick. A recipe for evaluating and differentiating $\cos \phi$ expressions. *J. Comput. Chem.*, 10:951–956, 1989.

- [719] T. Schlick. Optimization methods in computational chemistry. In K. B. Lipkowitz and D. B. Boyd, editors, *Reviews in Computational Chemistry*, volume III, pages 1–71. VCH Publishers, New York, NY, 1992.
- [720] T. Schlick. Modeling superhelical DNA: Recent analytical and dynamic approaches. *Curr. Opin. Struct. Biol.*, 5:245–262, 1995.
- [721] T. Schlick. Modeling superhelical DNA: Recent analytical and dynamic approaches. *Curr. Opin. Struct. Biol.*, 5:245–262, 1995.
- [722] T. Schlick. Pursuing Laplace’s vision on modern computers. In J. P. Mesirov, K. Schulten, and D. W. Sumners, editors, *Mathematical Applications to Biomolecular Structure and Dynamics*, volume 82 of *IMA Volumes in Mathematics and Its Applications*, pages 219–247, New York, NY, 1996. Springer-Verlag.
- [723] T. Schlick. Geometry optimization. In P. von Ragué Schleyer (Editor-in Chief), N. L. Allinger, T. Clark, J. Gasteiger, P. A. Kollman, and H. F. Schaefer, III, editors, *Encyclopedia of Computational Chemistry*, volume 2, pages 1136–1157. John Wiley & Sons, West Sussex, UK, 1998.
- [724] T. Schlick. Computational molecular biophysics today: A confluence of methodological advances and complex biomolecular applications. *J. Comput. Phys.*, 151:1–8, May 1999. (Special Volume on Computational Biophysics).
- [725] T. Schlick. Time-trimming tricks for dynamic simulations: Splitting force updates to reduce computational work. *Structure*, 9:R45–R53, 2001.
- [726] T. Schlick, E. Barth, and M. Mandziuk. Biomolecular dynamics at long timesteps: Bridging the timescale gap between simulation and experimentation. *Ann. Rev. Biophys. Biomol. Struct.*, 26:179–220, 1997.
- [727] T. Schlick, D. Beard, J. Huang, D. Strahs, and X. Qian. Computational challenges in simulating large DNA over long times. *IEEE Comput. Sci. Eng.*, 2(6):38–51, November/December 2000. (Special Issue on Computational Chemistry).
- [728] T. Schlick, S. Figueroa, and M. Mezei. A molecular dynamics simulation of a water droplet by the implicit-Euler/Langevin scheme. *J. Chem. Phys.*, 94:2118–2129, 1991.
- [729] T. Schlick and A. Fogelson. TNPACK — A truncated Newton minimization package for large-scale problems: I. Algorithm and usage. *ACM Trans. Math. Softw.*, 14:46–70, 1992.
- [730] T. Schlick and A. Fogelson. TNPACK — A truncated Newton minimization package for large-scale problems: II. Implementation examples. *ACM Trans. Math. Softw.*, 14:71–111, 1992.
- [731] T. Schlick, B. Li, and W. K. Olson. The influence of salt on DNA energetics and dynamics. *Biophys. J.*, 67:2146–2166, 1994.
- [732] T. Schlick, M. Mandziuk, R.D. Skeel, and K. Srinivas. Nonlinear resonance artifacts in molecular dynamics simulations. *J. Comput. Phys.*, 139:1–29, 1998.
- [733] T. Schlick and W. K. Olson. Supercoiled DNA energetics and dynamics by computer simulation. *J. Mol. Biol.*, 223:1089–1119, 1992.
- [734] T. Schlick and W. K. Olson. Trefoil knotting revealed by molecular dynamics simulations of supercoiled DNA. *Science*, 257:1110–1115, 1992.
- [735] T. Schlick, W. K. Olson, T. Westcott, and J. P. Greenberg. On higher buckling transitions in supercoiled DNA. *Biopolymers*, 34:565–598, 1994.

- [736] T. Schlick and M. L. Overton. A powerful truncated Newton method for potential energy functions. *J. Comput. Chem.*, 8:1025–1039, 1987.
- [737] T. Schlick and G. Parks. DOE computational sciences education project, 1994. Chapter on Mathematical Optimization. URL: csep1.phy.ornl.gov/csep/CSEP.html.
- [738] T. Schlick and C. S. Peskin. Can classical equations simulate quantum-mechanical behavior? A molecular dynamics investigation of a diatomic molecule with a Morse potential. *Comm. Pure App. Math.*, 42:1141–1163, 1989.
- [739] T. Schlick, R. D. Skeel, A. T. Brünger, L. V. Kalé, J. A. Board, Jr., J. Hermans, and K. Schulten. Algorithmic challenges in computational molecular biophysics. *J. Comput. Phys.*, 151:9–48, May 1999. (Special Volume on Computational Biophysics).
- [740] T. Schlick and L. Yang. Long-timestep biomolecular dynamics simulations: LN performance on a polymerase β / DNA system. In A. Brandt, J. Bernholc, and K. Binder, editors, *Multiscale Computational Methods in Chemistry and Physics*, volume 177 of *NATO Science Series. Series III: Computer and Systems Sciences*, pages 293–305, Amsterdam, The Netherlands, 2001. IOS Press.
- [741] F. Schluenzen, A. Tocilj, R. Zarivach, J. Harms, M. Gluehmann, D. Janell, A. Bashan, H. Bartels, I. Agmon, F. Franceschi, and A. Yonath. Structure of functionally activated small ribosomal subunit at 3.3 Å resolution. *Cell*, 102:615–623, 2000.
- [742] K. E. Schmidt and M. A. Lee. Implementing the fast multipole method in three dimensions. *J. Stat. Phys.*, 63:1223–1235, 1991.
- [743] R. B. Schnabel and T. Chow. Tensor methods for unconstrained optimization. *SIAM J. Opt.*, 1:293–315, 1991.
- [744] B. Schneider and H. M. Berman. Hydration of the DNA bases is local. *Biophys. J.*, 69:2661–2669, 1995.
- [745] B. Schneider, D. Cohen, and H. M. Berman. Hydration of DNA bases: Analysis of crystallographic data. *Biopolymers*, 32:725–750, 1992.
- [746] B. Schneider, D. M. Cohen, L. Schleifer, A. R. Srinivasan, W. K. Olson, and H. M. Berman. A systematic method for studying the spatial distribution of water molecules around nucleic acid bases. *Biophys. J.*, 65:2291–2303, 1993.
- [747] B. Schneider, K. Patel, and H. M. Berman. Hydration of the phosphate group in double-helical DNA. *Biophys. J.*, 75:2422–2434, 1998.
- [748] E. A. Schultes and D. B. Bartel. One sequence, two ribozymes: Implications for the emergence of new ribozyme folds. *Science*, 289:448–452, 2000.
- [749] S. C. Schultz, G. C. Shields, and T. A. Steitz. Crystal structure of a CAP-DNA complex: The DNA is bent by 90°. *Science*, 253:1001–1007, 1991.
- [750] P. Schuster, P. F. Stadler, and A. Renner. RNA structures and folding: From conventional to new issues in structure predictions. *Curr. Opin. Struct. Biol.*, 7:229–235, 1997.
- [751] C. N. Schutz and A. Warshel. What are the dielectric “constants” of proteins and how to validate electrostatic models? *Proteins: Struct. Func. Gen.*, 44:400–417, 2001.

- [752] T. Schwartz, M. A. Rould, K. Lowenhaupt, A. Herbert, and A. Rich. Crystal structure of the Z domain of the human editing enzyme ADAR1 bound to left-handed Z-DNA. *Science*, 284:1841–1845, 1999.
- [753] E. Schwegler and M. Challacombe. Linear scaling computation of the Hartree-Fock exchange matrix. *J. Chem. Phys.*, 105:2726–2734, 1996.
- [754] B. Sclavi, M. Sullivan, M. R. Chance, M. Brenowitz, and S. A. Woodson. RNA folding at millisecond intervals by synchrotron hydroxyl radical footprinting. *Science*, 279:1940–1943, 1998.
- [755] M. R. Scott, R. Will, J. Ironside, H.-Oanh B. Nguyen, P. Tremblay, S. J. DeArmond, and S. B. Prusiner. Compelling transgenic evidence for transmission of bovine spongiform encephalopathy prions to humans. *Proc. Natl. Acad. Sci. USA*, 96:15137–15142, 1999.
- [756] R. A. Scott and H. A. Scheraga. Method for calculating internal rotation barriers. *J. Chem. Phys.*, 42:2209–2215, 1965.
- [757] R. A. Scott and H. A. Scheraga. Conformational analysis of macromolecules. II. the rotational isomeric states of the normal hydrocarbons. *J. Chem. Phys.*, 44:3054–3069, 1966.
- [758] W. G. Scott, J. T. Finch, and A. Klug. The crystal structure of an all-RNA hammerhead ribozyme: A proposed mechanism for RNA catalytic cleavage. *Cell*, 81:991–1002, 1995.
- [759] W. G. Scott and A. Klug. Ribozymes: Structure and mechanism in RNA catalysis. *Trends Bio. Sci.*, 21:220–224, 1996.
- [760] N. C. Seeman. DNA nanotechnology: Novel DNA constructions. *Annu. Rev. Biophys. Biomol. Struct.*, 27:225–248, 1998.
- [761] G. L. Seibel, U. C. Singh, and P. A. Kollman. A molecular dynamics simulation of double-helical B-DNA including counterions and water. *Proc. Natl. Acad. Sci. USA*, 82:6537–6540, 1985.
- [762] E. Selsing, R. D. Wells, C. J. Alden, and S. Arnott. Bent DNA: Visualization of a base-paired and stacked A-B conformational junction. *J. Biol. Chem.*, 254:5417–5422, 1979.
- [763] D. Sen and W. Gilbert. Cationic switches in the formation of DNA structures containing guanine-quartets. In R. H. Sarma and M. H. Sarma, editors, *Structure and Function: Proceedings of the Seventh Conversation in Biomolecular Stereodynamics*. Adenine Press, Schenectady, New York, 1992.
- [764] S. Sen and L. Nilsson. Molecular dynamics of duplex systems involving PNA: Structural and dynamical consequences of nucleic acid backbone. *J. Amer. Chem. Soc.*, 120:619–631, 1998.
- [765] H. Senderowitz and W. C. Still. MC(JBW): Simple but smart Monte Carlo algorithm for free energy simulations of multiconformational molecules. *J. Comput. Chem.*, 19:1736–1745, 1998.
- [766] E.I. Shakhnovich and A.M. Gutin. Implications of thermodynamics on protein folding for evolution of primary sequences. *Nature*, 346:773–775, 1990.
- [767] D. F. Shanno and K. H. Phua. Remark on Algorithm 500: Minimization of unconstrained multivariate functions. *ACM Trans. Math. Softw.*, 6:618–622, 1980.

- [768] A. Sharman. The many uses of a genome sequence. *Genome Biol.*, 2:4013.1–4013.4, 2001. (URL: genomebiology.com).
- [769] E. C. Sherer, S. A. Harris, R. Soliva, M. Orozco, and C. A. Laughton. Molecular dynamics studies of DNA A-tract structure and flexibility. *J. Amer. Chem. Soc.*, 121:5981–5991, 1999.
- [770] H. Shi and P. Moore. The crystal structure of yeast phenylalanine tRNA at 1.93 Å resolution: A classic structure revisited. *RNA*, 6:1091–1105, 2000.
- [771] M. M. Shi, D. Mehrens, and K. Dacus. Pharmacogenomics: Changing the health care paradigm. *Mod. Drug Disc.*, 4:27–32, 2001.
- [772] Y. Shi, A. E. Borovik, and J. E. Hearst. Elastic rod model incorporating shear and extension, generalized nonlinear schrödinger equations, and novel closed-form solutions for supercoiled DNA. *J. Chem. Phys.*, 103:3166–3183, 1995.
- [773] J. Shimada, H. Kaneko, and T. Takada. Performance of fast multipole methods for calculating electrostatic interactions in biomolecular simulations. *J. Comput. Chem.*, 15:28–43, 1994.
- [774] I. A. Shkel, O. V. Tsodikov, and M. T. Record, Jr. Complete asymptotic solution of cylindrical and spherical Poisson-Boltzmann equations at experimental salt concentrations. *J. Phys. Chem. B*, 104:5161–5170, 2000.
- [775] M. Shitlerman, G. H. Lorimer, and S. W. Englander. Chaperonin function: Folding by forced unfolding. *Science*, 284:822–825, 1999.
- [776] X. Shui, L. McFail-Isom, G. G. Hu, and L. D. Williams. The B-DNA dodecamer at high resolution reveals a spine of water on sodium. *Biochemistry*, 37:8341–8355, 1998.
- [777] G. Siegal, J. van Duynhoven, and M. Baldus. Biomolecular NMR: Recent advances in liquids, solids and screening. *Curr. Opin. Chem. Biol.*, 3:530–536, 1999.
- [778] J. C. Simo and N. Tarnow. The discrete energy-momentum method. Conserving algorithms for nonlinear elastodynamics. *ZAMP*, 43:757–793, 1992.
- [779] J. C. Simo, N. Tarnow, and K. K. Wang. Exact energy-momentum conserving algorithms and symplectic schemes for nonlinear dynamics. *Computer Methods in Applied Mechanics and Engineering*, 100:63–116, 1994.
- [780] T. Simonson. Accurate calculation of the dielectric constant of water from simulations of a microscopic droplet in vacuum. *Chem. Phys. Lett.*, 250:450–454, 1996.
- [781] T. Simonson. Macromolecular electrostatics: Continuum models and their growing pains. *Curr. Opin. Struct. Biol.*, 11:243–252, 2001.
- [782] R. R. Sinden. *DNA Structure and Function*. Academic Press, San Diego, CA, 1994.
- [783] U.C. Singh and P.A. Kollman. An approach to computing electrostatic charges for molecules. *J. Comput. Chem.*, 5:129–145, 1984.
- [784] R. D. Skeel, G. Zhang, and T. Schlick. A family of symplectic integrators: Stability, accuracy, and molecular dynamics applications. *SIAM J. Sci. Comput.*, 18(1):202–222, January 1997.
- [785] Robert D. Skeel. Integration schemes for molecular dynamics and related applications. In M. Ainsworth, J. Levesley, and M. Marletta, editors, *The Graduate Student's Guide to Numerical Analysis*, volume 26 of *Springer Series in Computational Mathematics*, pages 119–176. Springer-Verlag, New York, NY, 1999.

- [786] N. B. Slater. Classical motion under a morse potential. *Nature*, 180:1352–1353, 1957.
- [787] R. H. Smith. Nanotechnology gains momentum. *Mod. Drug Dis.*, 4:33–38, 2001.
- [788] S. B. Smith, Y. Cui, and C. Bustamante. Overstretching B-DNA: The elastic response of individual double-stranded and single-stranded DNA molecules. *Science*, 271:795–798, 1996.
- [789] G. A. Soukup and R. R. Breaker. Engineering precision RNA molecular switches. *Proc. Natl. Acad. Sci. USA*, 96:3584–3589, 1999.
- [790] G. A. Soukup and R. R. Breaker. Allosteric nucleic acid catalysts. *Curr. Opin. Struct. Biol.*, 10:318–325, 2000.
- [791] B. Space, H. Rabitz, and A. Askar. Long time scale molecular dynamics subspace integration method applied to anharmonic crystals and glasses. *J. Chem. Phys.*, 99:9070–9079, 1993.
- [792] C. M. T. Spahn, P. A. Penczek, A. Leith, and J. Frank. A method for differentiating proteins from nucleic acids in intermediate-resolution density maps: Cryo-electron microscopy defines the quaternary structure of the *Escherichia coli* 70S ribosome. *Structure*, 8:937–948, 2000.
- [793] J. T. Sprague, J. C. Tai, Y. Yuh, and N. L. Allinger. The MMP2 calculational method. *J. Comput. Chem.*, 8:581–603, 1987.
- [794] D. Sprous and S. C. Harvey. Action at a distance in supercoiled DNA: Effects of sequences on slither, branching and intermolecular concentration. *Biophys. J.*, 70:1893–1908, 1996.
- [795] D. Sprous, M. A. Young, and D. L. Beveridge. Molecular Dynamics Studies of Axis Bending in $d(G_5-(GA_4T_4C)_2-C_5)$ and $d(G_5-(GT_4A_4C)_2-C_5)$: Effects of Sequence Polarity on DNA Curvature. *J. Mol. Biol.*, 285:1623–1632, 1999.
- [796] D. Sprous, W. Zacharias, Z. A. Wood, and S. C. Harvey. Dehydrating agents sharply reduce curvature in DNAs containing A-tracts. *Nucl. Acids Res.*, 23:1816–1821, 1995.
- [797] D. Sprous, II, R. K.-Z. Tan, and S. C. Harvey. Molecular modeling of closed circular DNA thermodynamic ensembles. *Biopolymers*, 39:248–258, 1996.
- [798] A. Srinivasan and W. K. Olson. Polynucleotide conformation in real solution — a preliminary theoretical estimate. *Fed. Amer. Soc. Exp. Bio.*, 39:2199, 1980.
- [799] A. R. Srinivasan and W. K. Olson. Molecular models of nucleic acid triple helices. II. PNA and 2'–5' backbone complexes. *J. Amer. Chem. Soc.*, 120:492–499, 1998.
- [800] D. K. Stammers, D. O'N. Somers, C. K. Ross, I. Kirby, P. H. Ray, J. E. Wilson, M. Norman, J. S. Ren, R. M. Esnouf, E. F. Garman, E. Y. Jones, and D. I. Stuart. Crystals of HIV-1 reverse transcriptase diffracting to 2.2 Å resolution. *J. Mol. Biol.*, 242:586–588, 1994.
- [801] P. J. Steinbach and B. R. Brooks. New spherical-cutoff methods for long-range forces in macromolecular simulation. *J. Comput. Chem.*, 15:667–683, 1994.
- [802] S. D. Stellman, B. Hingerty, S. B. Broyde, E. Subramanian, T. Sato, and R. Langridge. Structure of guanosine-3', 5'-cytidine monophosphate. I. Semi-empirical potential energy calculations and model-building. *Biopolymers*, 12:1731–2750, 1973.

- [803] D. Stigter. Interactions of highly charged colloidal cylinders with applications to double-stranded DNA. *Biopolymers*, 16:1435–1448, 1977.
- [804] E. Stofer, C. Chipot, and R. Lavery. Free energy calculations of Watson–Crick base pairing in aqueous solution. *J. Amer. Chem. Soc.*, 121:9503–9508, 1999.
- [805] A. J. Stone. *The Theory of Intermolecular Forces*. Oxford University Press, Oxford, England, 1996.
- [806] C. Störmer. Sur les trajectoires des corpuscules électrisés dans l'espace. *Archives des Sciences Physiques et Naturelles*, 24:5–18, 113–158, 221–247, 1907. (This reference is the first in a three-part essay. The second part appeared in the same journal in 1911 (pages 190, 277, 415, and 501), and the third part appeared in the 1912 volume of the journal, pages 51–69).
- [807] D. Strahs, X. Qian, and T. Schlick. Dynamic simulations of 13 TATA variants bound to *tbp* reveal flexibility differences that may generate different interfaces for transcription factors. In Preparation, 2001.
- [808] D. Strahs and T. Schlick. A-tract bending: Insights into experimental structures by computational models. *J. Mol. Biol.*, 301:643–666, 2000.
- [809] W. B. Streeff, D. J. Tildesley, and G. Saville. Multiple time step methods and an improved potential function for molecular dynamics simulations of molecular liquids. In Peter Lykos, editor, *Computer Modeling of Matter*, volume 86 of *ACS Symposium Series*, pages 144–158. ACS, Washington, D. C., 1978.
- [810] W. B. Streeff, D. J. Tildesley, and G. Saville. Multiple time step methods in molecular dynamics. *Mol. Phys.*, 35:639–648, 1978.
- [811] T. Strick, J.-F. Allemand, V. Croquette, and D. Bensimon. The manipulation of single biomolecules. *Physics Today*, 54:46–51, October 2001.
- [812] R. S. Struthers, J. Rivier, and A. T. Hagler. Theoretical simulation of conformation, energetics, and dynamics in the design of GnRH analogs. *Transactions of the American Crystallographic Association*, 20:83–96, 1984. Proceedings of the Symposium on Molecules in Motion, University of Kentucky, Lexington, Kentucky, May 20–21, 1984.
- [813] L. Stryer. *Biochemistry*. W. H. Freeman, New York, NY, 5 edition, 2001.
- [814] D. W. Summers. Lifting the curtain: Using topology to probe the hidden action of enzymes. *Notices of the AMS*, 42:528–537, 1995.
- [815] Y. Sun, T. J. A. Ewing, A. G. Skillman, and I. D. Kuntz. CombiDOCK: Structure-based combinatorial docking and library design. *J. Comput.-Aided Mol. Design*, 12:597–604, 1998.
- [816] R. D. Swindoll and J. M. Haile. A multiple time-step method for molecular dynamics simulations of fluids of chain molecules. *J. Chem. Phys.*, 53:289–298, 1984.
- [817] W. C. Swope, H. C. Andersen, P. H. Berens, and K. R. Wilson. A computer simulation method for the calculation of equilibrium constants for the formation of physical clusters of molecules: Applications to small water clusters. *J. Chem. Phys.*, 76:637–649, 1982.
- [818] J. C. Tai and N. L. Allinger. Effect of inclusion of electron correlation in MM3 studies of cyclic conjugated compounds. *J. Comput. Chem.*, 19:475–487, 1998.

- [819] R. K.-Z. Tan, D. Sprous, and S. C. Harvey. Molecular dynamics simulations of small DNA plasmids: Effects of sequence and supercoiling on intramolecular motions. *Biopolymers*, 39:259, 1996.
- [820] J. Tang and R. R. Breaker. Structural diversity of self-cleaving ribozymes. *Proc. Natl. Acad. Sci. USA*, 97:5784–5789, 2001.
- [821] Y. Tao and W. Zhang. Recent developments in cryo-electron microscopy reconstruction of single particles. *Structure*, 10:616–622, 2000.
- [822] S. Tara, A. H. Elcock, P. D. Kirchhoff, J. M. Briggs, Z. Radic, P. Taylor, and J. A. McCammon. Rapid binding of a cationic active site inhibitor to wild type and mutant mouse acetylcholinesterase: Brownian dynamics simulation including diffusion in the active site gorge. *Biopolymers*, 46:465–474, 1998.
- [823] S. A. Teichmann, C. Chothia, and M. Gerstein. Advances in structural genomics. *Curr. Opin. Struct. Biol.*, 9:390–399, 1999.
- [824] V. Tereshko, G. Minasov, and M. Egli. A “Hydra-Ion” spine in B-DNA minor groove. *J. Amer. Chem. Soc.*, 121:3590–3595, 1999.
- [825] D. Thirumalai and G. H. Lorimer. Chaperonin-mediated protein folding. *Ann. Rev. Biophys. Biomol. Struct.*, 30:245–269, 2001.
- [826] J. M. Thornton, C. A. Orengo, A. E. Todd, and F. M. G. Pearl. Protein folds, functions and evolution. *J. Mol. Biol.*, 293:333–342, 1999.
- [827] B. Tidor, K. K. Irikura, B. R. Brooks, and M. Karplus. Dynamics of DNA oligomers. *J. Biomol. Struct. Dynam.*, 1:231–252, 1983.
- [828] I. Tinoco, Jr. and C. Bustamante. How RNA folds. *J. Mol. Biol.*, 293:271–281, 1999.
- [829] D. J. Tobias. Electrostatic calculations: Recent methodological advances and applications to membranes. *Curr. Opin. Struct. Biol.*, 11:253–261, 2001.
- [830] D. J. Tobias and C. L. Brooks, III. Conformational equilibrium in the alanine dipeptide in the gas phase and aqueous solution: A comparison of theoretical results. *J. Chem. Phys.*, 89:5115–5126, 1988.
- [831] A. Y. Toukmaji and J. A. Board, Jr. Ewald summation techniques in perspective: A survey. *Comput. Phys. Commun.*, 95:73–92, 1996.
- [832] S. Toxvaerd. Comment on constrained molecular dynamics of macromolecules. *J. Chem. Phys.*, 87:6140–6143, 1987.
- [833] E. N. Trifonov, R. K.-Z. Tan, and S. C. Harvey. Static persistence length of DNA. In W. K. Olson, M. H. Sarma, R. H. Sarma, and M. Sundaralingam, editors, *Structure and Expression: DNA Bending and Curvature*, volume 3. Adenine Press, Schenectady, New York, 1987.
- [834] M. E. Tuckerman and B. J. Berne. Molecular dynamics in systems with multiple time scales: Systems with stiff and soft degrees of freedom and with short and long range forces. *J. Comput. Chem.*, 95:8362–8364, 1992.
- [835] M. E. Tuckerman, B. J. Berne, and G. J. Martyna. Reversible multiple time scale molecular dynamics. *J. Chem. Phys.*, 97:1990–2001, 1992.
- [836] M. E. Tuckerman, B. J. Berne, and A. Rossi. Molecular dynamics algorithm for multiple time scales: Systems with disparate masses. *J. Chem. Phys.*, 94:1465–1469, 1991.

- [837] M. E. Tuckerman, B.J. Berne, and G. J. Martyna. Molecular dynamics algorithm for multiple time scales: Systems with long range forces. *J. Chem. Phys.*, 94:6811–6815, 1991.
- [838] M. E. Tuckerman, G. J. Martyna, and B. J. Berne. Molecular dynamics algorithm for condensed systems with multiple time scales. *J. Chem. Phys.*, 93:1287–1291, 1990.
- [839] C. Tuerk and L. Gold. Systematic evolution of ligands by exponential enrichment: RNA ligands to bacteriophage T4 DNA polymerase. *Science*, 249:505–570, 1990.
- [840] T. Tuschl, C. Gohlke, T. M. Jovin, E. Westhof, and F. Eckstein. A three-dimensional model for the hammerhead ribozyme based on fluorescence measurements. *Science*, 266:785–789, 1994.
- [841] P. Uetz, L. Giot, G. Cagney, T. A. Mansfield, R. S. Judson, J. R. Knight, D. Lockshon, V. Narayan, M. Srinivasan, P. Pochart, A. Qureshi-Emili, Y. Li, B. Godwin, D. Conover, T. Kalbfleisch, G. Vijayadamodar, M. Yang, M. Johnston, S. Fields, and J. M. Rothberg. A comprehensive analysis of protein-protein interactions in *saccharomyces cerevisiae*. *Nature*, 403:623–627, 2000.
- [842] L. Ulanovsky and E. N. Trifonov. Estimation of wedge components in curved DNA. *Nature*, 326:720–722, 1987.
- [843] N. B. Ulyanov and V. B. Zhurkin. Sequence-dependent anisotropic flexibility of B-DNA: A conformational study. *J. Biomol. Struct. Dynam.*, 2:361–385, 1984.
- [844] V. M. Unger. Electron cryomicroscopy. *Curr. Opin. Struct. Biol.*, 11:548–554, 2001.
- [845] I. Usón and G. M. Sheldrick. Advances in direct methods for protein crystallography. *Curr. Opin. Struct. Biol.*, 9:643–648, 1999.
- [846] M. J. van Dongen, J. F. Doreleijers, G. A. van der Marel, J. H. van Boom, C. W. Hilbers, and S. S. Wijmenga. Structure and mechanism of formation of the H-y5 isomer of an intramolecular DNA triple helix. *Nat. Struc. Biol.*, 6:854–859, 1999.
- [847] W. F. van Gunsteren. Constrained dynamics of flexible molecules. *Mol. Phys.*, 40:1015–1019, 1980.
- [848] W. F. van Gunsteren and H. J. C. Berendsen. Algorithms for macromolecular dynamics and constraint dynamics. *Mol. Phys.*, 34:1311–1327, 1977.
- [849] W. F. van Gunsteren and H. J. C. Berendsen. Algorithms for Brownian dynamics. *Mol. Phys.*, 45:637–647, 1982.
- [850] W. F. van Gunsteren and M. Karplus. Effect of constraints on the dynamics of macromolecules. *Macromolecules*, 15:1528–1543, 1982.
- [851] W. F. van Gunsteren and A. E. Mark. Validation of molecular dynamics simulation. *J. Chem. Phys.*, 108:6109–6116, 1998.
- [852] D. F. Veber, F. H. Drake, and M. Gowen. The new partnership of genomics and chemistry for accelerated drug development. *Curr. Opin. Chem. Biol.*, 1:151–156, 1997.
- [853] L. Verlet. Computer ‘experiments’ on classical fluids: I. Thermodynamical properties of Lennard-Jones molecules. *Phys. Rev.*, 159(1):98–103, July 1967.
- [854] M. A. Viswamitra, B. S. Reddy, G.H.-Y. Lin, and M. Sundaralingam. Stereochemistry of nucleic acids and their constituents. XVII. Crystal and molecular structure of deoxycytidine 5'-phosphate monohydrate. A possible puckering for the furanoside ring in B-deoxyribonucleic acid. *J. Amer. Chem. Soc.*, 93:4565–4573, 1971.

- [855] D. Vitkup, E. Melamud, J. Moulton, and C. Sander. Completeness in structural genomics. *Nat. Struct. Biol.*, 8:559–565, 2001.
- [856] C. T. Vogelson. Advances in drug delivery systems. *Mod. Drug Dis.*, 4:49–52, 2001.
- [857] A. V. Vologodskii. *Topology and physics of circular DNA*. CRC Press, Boca Raton, Florida, 1992.
- [858] A. V. Vologodskii and N. R. Cozzarelli. Conformational and thermodynamic properties of supercoiled DNA. *Ann. Rev. Biophys. Biomol. Struct.*, 23:609–643, 1994.
- [859] A. V. Vologodskii and N. R. Cozzarelli. Supercoiling, knotting, looping, and other large-scale conformational properties of DNA. *Curr. Opin. Struct. Biol.*, 4:372–375, 1994.
- [860] A. V. Vologodskii and N. R. Cozzarelli. Modeling of long-range electrostatic interactions in DNA. *Biopolymers*, 35:289–296, 1995.
- [861] A. V. Vologodskii and N. R. Cozzarelli. Effect of supercoiling on the juxtaposition and relative orientation of DNA sites. *Biophys. J.*, 70:2548–2556, 1996.
- [862] Y. N. Vorobjev and J. Hermans. ES/IS: Estimation of conformational free energy by combining dynamics simulations with explicit solvent with an implicit solvent continuum model. *Biophys. Chem.*, 78:195–205, 1999.
- [863] J. Šponer, J. Leszczyński, and P. Hobza. Nature of nucleic acid-base stacking: Nonempirical ab Initio and empirical potential characterization of 10 stacked base dimers. Comparison of stacked and H-bonded base pairs. *J. Phys. Chem.*, 100:5590–5596, 1996.
- [864] J. Šponer, J. Leszczyński, and P. Hobza. Structures and energies of hydrogen-bonded DNA base pairs: A nonempirical study with inclusion of electron correlation. *J. Phys. Chem.*, 100:1965–1974, 1996.
- [865] R. C. Wade, M. E. Davis, B. A. Luty, J. D. Madura, and J. A. McCammon. Gating of the active site of triose phosphate isomerase: Brownian dynamics simulations of flexible peptide loops in the enzyme. *Biophys. J.*, 64:9–15, 1993.
- [866] R. C. Wade, B.A. Luty, E. Demchuk, J. D. Madura, M. E. Davis, J. M. Briggs, and J. A. McCammon. Simulation of enzyme-substrate encounter with gated active sites. *Struct. Biol.*, 1:65–69, 1994.
- [867] A. H. Wang, G. J. Quigley, F. J. Kolpak, J. L. Crawford, J. H. van Boom, G. van der Marel, and A. Rich. Molecular structure of a left-handed double helical DNA fragment at atomic resolution. *Nature*, 282:680–686, 1979.
- [868] H. Y. Wang and R. LeSar. An efficient fast-multipole algorithm based on an expansion in the solid harmonics. *J. Chem. Phys.*, 104:4173–4179, 1996.
- [869] J. Wang, P. Cieplak, and P. A. Kollman. How well does a restrained electrostatic potential (RESP) model perform in calculating conformational energies of organic and biological molecules? *J. Comput. Chem.*, 21:1049–1074, 2000.
- [870] W. Wang, O. Donini, C. M. Reyes, and P. A. Kollman. Biomolecular simulations: Recent developments in force fields, simulations of enzyme catalysis, protein-ligand, protein-protein, and protein-nucleic acid noncovalent interactions. *Ann. Rev. Biophys. Biomol. Struct.*, 30:211–243, 2001.
- [871] Z.-X. Wang. How many fold types of protein are there in Nature? *Proteins: Struct. Func. Gen.*, 26:186–191, 1996.

- [872] M. Watanabe and M. Karplus. Simulations of macromolecules by multiple time-step methods. *J. Phys. Chem.*, 99:5680–5697, 1995.
- [873] J. D. Watson. *The Double Helix. A Personal Account of the Discovery of the Structure of DNA*. Norton Critical Edition G.S. Stent (Editor), Norton & Company, New York, NY, 1980.
- [874] J. D. Watson and F. H. C. Crick. Genetical implications of the structure of deoxyribonucleic acid. *Nature*, 171:964–967, 1953.
- [875] J. D. Watson and F. H. C. Crick. A structure for deoxyribose nucleic acid. *Nature*, 171:737–738, 1953.
- [876] J. D. Watson and F. H. C. Crick. The structure of DNA. *Cold Spr. Harb. Symp. Quant. Biol.*, XVIII:123–131, 1953.
- [877] J. Wehrle and D. Barrick. Review of the fifth annual Johns Hopkins protein folding meeting. *Proteins: Struct. Func. Gen.*, 42:141–147, 2001.
- [878] S. J. Weiner, P. A. Kollman, D. T. Nguyen, and D.A. Case. An all atom force field for simulations of proteins and nucleic acids. *J. Comput. Chem.*, 7:230–252, 1986.
- [879] F. Weinhold. A new twist on molecular shape. *Nature*, 411:539–541, 2001.
- [880] J. J. Wendoloski, S. J. Kimatian, C. E. Schutt, and F. R. Salemme. Molecular dynamics simulation of a phospholipid micelle. *Science*, 243:636–638, 1989.
- [881] B. Werth. *The Billion-Dollar Molecule: One Company's Quest for the Perfect Drug*. Simon & Schuster, New York, NY, 1994.
- [882] E. Westhof and L. Jaeger. RNA pseudoknots. *Curr. Opin. Struct. Biol.*, 2:327–333, 1992.
- [883] J. H. White. Self-linking and the Gauss integral in higher dimensions. *Amer. J. Math.*, 91:693–728, 1969.
- [884] J. H. White. An introduction to the geometry and topology of DNA structures. In M. S. Waterman, editor, *Mathematical Methods for DNA Sequences*, chapter 9. CRC Press, Boca Raton, Florida, 1989.
- [885] P. Willett. Structural similarity measures for database searching. In P. von Ragué Schleyer (Editor-in Chief), N. L. Allinger, T. Clark, J. Gasteiger, P. A. Kollman, and H. F. Schaefer, III, editors, *Encyclopedia of Computational Chemistry*, volume 4, pages 2748–2756. John Wiley & Sons, West Sussex, UK, 1998.
- [886] L. D. Williams and L. J. Maher, III. Electrostatic mechanisms of DNA deformation. *Annu. Rev. Biophys. Biomol. Struct.*, 29:000–000, 2000. pubs.acs.org/reprint-request?ma9902091/g6kj for Manning citation.
- [887] J. R. Williamson. Small subunit, big science. *Nature*, 407:306–307, 2000.
- [888] E. K. Wilson. Computers customize combinatorial libraries. *Chem. Eng. News*, 76:31–37, 1998.
- [889] E. O. Wilson. *Consilience. The Unity of Knowledge*. Alfred A. Knopf, New York, NY, 1998.
- [890] M. Wilson, J. DeRisi, H. H. Kristensen, P. Imboden, S. Rane, P. O. Brown, and G. K. Schoolnik. Exploring drug-induced alterations in gene expression in *Mycobacterium tuberculosis* by microarray hybridization. *Proc. Natl. Acad. Sci. USA*, 96:12833–12838, 1999.

- [891] B. T. Wimberly, D. E. Brodersen, W. M. Clemons Jr., R. J. Morgan-Warren, A. P. Carter, C. Vornrhein, T. Hartsch, and V. Ramakrishnan. Structure of the 30S ribosomal subunit. *Nature*, 407:327–339, 2000.
- [892] R. Wing, H. Drew, T. Takano, C. Broka, S. Tanaka, K. Itakura, and R. E. Dickerson. Crystal structure analysis of a complete turn of B-DNA. *Nature*, 287:755–758, 1980.
- [893] J. Woda, B. Schneider, K. Patel, K. Mistry, and H. M. Berman. An analysis of the relationship between hydration and protein-DNA interactions. *Biophys. J.*, 75:2170–2177, 1998.
- [894] C. R. Woese, S. Winker, and R. R. Gutell. Architecture of ribosomal RNA: Constraints on the sequence of tetra-loops. *Proc. Natl. Acad. Sci. USA*, 87:8467–8471, 1990.
- [895] A. Wolffe. *Chromatin Structure and Function*. Academic Press Inc., San Diego, CA, 1995.
- [896] P. G. Wolynes. Folding funnels and energy landscapes of larger proteins within the capillarity approximation. *Proc. Natl. Acad. Sci. USA*, 94:6170–6175, 1997.
- [897] P. G. Wolynes, J. N. Onuchic, and D. Thirumalai. Navigating the folding routes. *Science*, 267:1619–1620, 1995.
- [898] M. H. Wright. What, if anything, is new in optimization? In J. M. Ball and J. C. R. Hunt, editors, *ICIAM'99: Proceedings of the 4th International Congress on Industrial and Applied Mathematics*, pages 259–270, Oxford, England, 2000. Oxford University Press. Also available in modified form as Technical Report 00-4-08, Bell Laboratories, Computing Sciences Research Center, Murray Hill, New Jersey 07074; cm.bell-labs.com/cm/cs/doc/00/4-08.ps.gz.
- [899] P. E. Wright and H. J. Dyson. Intrinsically unstructured proteins: Reassessing the protein structure-function paradigm. *J. Mol. Biol.*, 293:321–331, 1999.
- [900] K. Wüthrich. *NMR of Proteins and Nucleic Acids*. (The George Fisher Baker Non-Resident Lectureship in Chemistry at Cornell University series). Wiley Interscience, New York, NY, 1986.
- [901] D. Xie and T. Schlick. Efficient implementation of the truncated Newton method for large-scale chemistry applications. *SIAM J. Opt.*, 10(1):132–154, 1999.
- [902] D. Xie and T. Schlick. Remark on the updated truncated Newton minimization package, *algorithm 702*. *ACM. Trans. Math. Softw.*, 25(1):108–122, March 1999.
- [903] D. Xie and T. Schlick. A more lenient stopping rule for line search algorithms. *Opt. Math. Sci.*, 2000. In Press.
- [904] D. Xie and T. Schlick. Visualization of chemical databases using the singular value decomposition and truncated-Newton minimization. In C. A. Floudas and P. Pardalos, editors, *Optimization in Computational Chemistry and Molecular Biology: Local and Global Approaches*, pages 267–286. Kluwer Academic Publishers, Dordrecht, The Netherlands, 2000.
- [905] D. Xie, L. R. Scott, and T. Schlick. Analysis of the SHAKE-SOR algorithm for constrained molecular dynamics simulations. *Methods and Applications of Analysis*, 7(3):577–590, 2000. (Special Issue dedicated to Cathleen Morawetz).
- [906] D. Xie, A. Tropsha, and T. Schlick. A data projection approach using the singular value decomposition and energy refinement. *J. Chem. Inf. Comput. Sci.*, 40(1):167–177, 2000.

- [907] R. Xu, B. Ayers, D. Cowburn, and T. W. Muir. Chemical ligation of folded recombinant proteins: Segmental isotopic labeling of domains for NMR studies. *Proc. Natl. Acad. Sci. USA*, 96:388–393, 1999.
- [908] Z. Xu, A. L. Horwich, and P. B. Sigler. The crystal structure of the asymmetric GroEL-GroES-(ADP)₇ chaperonin complex. *Nature*, 388:741–750, 1997.
- [909] B. I. Yakobson and R. E. Smalley. Fullerene nanotubes: C_{1,000,000} and beyond. *American Scientist*, 85(4):324–337, 1997.
- [910] H. Yamakawa. *Modern Theory of Polymer Solutions*. Harper and Row Publishers, New York, NY, 1971.
- [911] L. Yang, S. Wilson, W. Beard, S. Broyde, and T. Schlick. Polymerase β simulations reveal that Arg258 rotation is a slow step rather than large subdomain motions *per se*. *Molec. Cell*, 2001. Submitted.
- [912] W. Yang and T. Lee. A density-matrix divide-and-conquer approach for electronic structure calculations of large molecules. *J. Chem. Phys.*, 163:5674–5678, 1995.
- [913] D. York and W. Yang. The Fast Fourier Poisson method for calculating Ewald sums. *J. Chem. Phys.*, 101:3298–3300, 1994.
- [914] D. M. York, T.-S. Lee, and W. Yang. Parameterization and efficient implementation of a solvent model for linear-scaling semiempirical quantum-mechanical calculations of biological macromolecules. *Chem. Phys. Lett.*, 263:297–304, 1996.
- [915] D. M. York, T.-S. Lee, and W. Yang. Quantum-mechanical study of aqueous polarization effects on biological macromolecules. *J. Amer. Chem. Soc.*, 118:10940–10941, 1996.
- [916] D. M. York, W. Yang, H. Lee, T. Darden, and L. G. Pederson. Toward the accurate modeling of DNA: The importance of long-range electrostatics. *J. Amer. Chem. Soc.*, 117:5001–5002, 1995.
- [917] M. A. Young and D. L. Beveridge. Molecular dynamics simulations of an oligonucleotide duplex with adenine tracts phased by a full helix turn. *J. Mol. Biol.*, 281:675–687, 1998.
- [918] M. A. Young, S. Gonfloni, G. Superti-Furga, B. Roux, and J. Kuriyan. Dynamic coupling between SH2 and SH3 domains of c-Src and Hck underlies their inactivation by C-terminal tyrosine phosphorylation. *Cell*, 105:115–126, 2001.
- [919] M. A. Young, B. Jayaram, and D. L. Beveridge. Intrusion of counterions into the spine of hydration in the minor groove of B-DNA: Fractional occupancy of electronegative pockets. *J. Amer. Chem. Soc.*, 119:59–69, 1997.
- [920] M. A. Young, B. Jayaram, and D. L. Beveridge. Local dielectric environment of B-DNA in solution: Results from a 14 ns molecular dynamics trajectory. *J. Phys. Chem. B*, 102:7666–7669, 1998.
- [921] M. A. Young, G. Ravishanker, and D. L. Beveridge. A 5-nanosecond molecular dynamics trajectory for B-DNA: Analysis of structure, motions, and solvation. *Biophys. J.*, 73:2313–2336, 1997.
- [922] M. A. Young, J. Srinivasan, I. Goljer, S. Kumar, D. L. Beveridge, and P. H. Bolton. Structure determination and analysis of local bending in an A-tract DNA duplex: Comparison of results from crystallography, nuclear magnetic resonance, and molecular dynamics simulation on d(CGCAAAAATGCG). *Methods in Enzymology*, 261:121–144, 1995.

- [923] H. Yu. Extending the size limit of protein nuclear magnetic resonance. *Proc. Natl. Acad. Sci. USA*, 96:332–334, 1999.
- [924] M. M. Yusupov, G. Zh. Yusupova, A. Baucom, K. Lieberman, T. N. Earnest, J. H. D. Cate, and H. F. Noller. Crystal structure of the ribosome at 5.5 Å resolution. *Science*, 292:883–896, 2001.
- [925] R. Zahn, A. Liu, T. Lührs, R. Riek, C. von Schroetter, F. López Garcia, M. Billeter, L. Calzolari, G. Wider, and Kurt Wüthrich. NMR solution structure of the human prion protein. *Proc. Natl. Acad. Sci. USA*, 97:145–150, 2000.
- [926] F. N. Zaidi, U. Nath, and J. B. Udgaonkar. Multiple intermediates and transition states during protein unfolding. *Nature Struc. Biol.*, 4:1016–1024, 1997.
- [927] V. Zaloj and Ron Elber. Parallel computations of molecular dynamics trajectories using the stochastic path approach. *Comput. Phys. Comm.*, 128:118–127, 2000.
- [928] C. Zhang and C. DeLisi. Estimating the number of protein folds. *J. Mol. Biol.*, 284:1301–1305, 1998.
- [929] G. Zhang and T. Schlick. LIN: A new algorithm combining implicit integration and normal mode techniques for molecular dynamics. *J. Comput. Chem.*, 14:1212–1233, 1993.
- [930] G. Zhang and T. Schlick. The Langevin/implicit-Euler/Normal-Mode scheme (LIN) for molecular dynamics at large time steps. *J. Chem. Phys.*, 101:4995–5012, 1994.
- [931] G. Zhang and T. Schlick. Implicit discretization schemes for Langevin dynamics. *Mol. Phys.*, 84:1077–1098, 1995.
- [932] L. Y. Zhang, E. Gallicchino, R. A. Friesner, and R. M. Levy. Solvent models for protein-ligand binding: Comparison of implicit solvent Poisson and surface generalized Born models with explicit solvent simulations. *J. Comput. Chem.*, 22:591–607, 2001.
- [933] M. Zhang and R. D. Skeel. Cheap implicit symplectic integrators. *Applied Numerical Mathematics*, 25:297–302, 1997.
- [934] Y. Zhang, T. Lee, and W. Yang. A pseudo-bond approach to combining quantum mechanical and molecular mechanical methods. *J. Chem. Phys.*, 110:46–54, 1999.
- [935] Y. Zhang, H. Liu, and W. Yang. Free energy calculation on enzyme reactions with an efficient iterative procedure to determine minimum energy paths on a combined Ab Initio QM/MM potential energy surface. *J. Chem. Phys.*, 112:3483–3492, 2000.
- [936] Q. Zhao and W. Yang. Analytical energy gradients and geometry optimization in the divide-and-conquer method for large molecules. *J. Chem. Phys.*, 102:9598–9603, 1995.
- [937] R. Zhou and B. J. Berne. A new molecular dynamics method combining the reference system propagator algorithm with a fast multipole method for simulating proteins and other complex systems. *J. Chem. Phys.*, 103:9444–9459, 1995.
- [938] R. Zhou, E. Harder, H. Xu, and B. J. Berne. Efficient multiple time step method for use with Ewald and particle mesh Ewald for large biomolecular systems. *J. Chem. Phys.*, 115:2348–2358, 2001.
- [939] Y. Zhou, J. H. Morais-Cabral, A. Kaufman, and R. MacKinnon. Chemistry of ion coordination and hydration revealed by a K⁺ channel-Fab complex at 2.0 Å resolution. *Nature*, 414:43–48, 2001.

- [940] C. Zhu, R. H. Byrd, P. Lu, and J. Nocedal. Algorithm 778: L-BFGS-B, FORTRAN subroutines for large scale bound constrained optimization. *ACM Transactions on Mathematical Software*, 23:550–560, 1997.
- [941] V. B. Zhurkin, Y. P. Lysov, and V. Ivanov. Anisotropic flexibility of DNA and the nucleosomal structure. *Nucleic Acids Res.*, 6:1081–1096, 1979.
- [942] V. B. Zhurkin, N. B. Ulyanov, A. A. Gorin, and R. L. Jernigan. Static and statistical bending of DNA evaluated by Monte Carlo simulations. *Proc. Natl. Acad. Sci. USA*, 88:7046–7050, 1991.
- [943] B. H. Zimm. Dynamics of polymer molecules in dilute solution: Viscoelasticity, flow birefringence and dielectric loss. *J. Chem. Phys.*, 24:269–278, 1956.
- [944] G. Zou, R. D. Skeel, and S. Subramanian. Biased Brownian dynamics for rate constant calculation. *Biophys. J.*, 79:638–645, 2000.
- [945] M. Zuker and P. Stiegler. Optimal computer folding of large RNA sequences using thermodynamics and auxiliary information. *Nucl. Acids Res.*, 9:133–148, 1981.